

Author Index, Volumes 129–138

- Aaltonen, T., *see* Hietala, J. et al.
- Aas, G.H., *see* Hatlen, B. et al.
- Abarca, J.B., *see* Bongers, A.B.J. et al.
- Abellán, E., *see* López-Albors, O. et al.
- Aboutboul, Y., Arviv, R. and Rijn, J.v.
- Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification 133 (1995) 21
- Abucay, J.S., *see* Mair, G.C. et al.
- Adachi, S., *see* Ijiri, S. et al.
- Adambounou, L., *see* Guillou, A. et al.
- Adambounou, L., *see* Guillou, A. et al.
- Agnèse, J.-F., Otémé, Z.J. and Gilles, S.
- Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840 131 (1995) 197
- Aguila, P., *see* Toro, J.E. et al.
- Aguilar, M.B., *see* Huberman, A. et al.
- Aida, K., *see* Sato, N. et al.
- Aida, K., *see* Yang, W. et al.
- Akhtar, N.
- Socio-economic settings and technological aspects of inland fishermen of the Punjab, Pakistan 129 (1995) 478
- Alami-Durante, H., *see* Fauconneau, B. et al.
- Alfonso, E., *see* Gallardo, P.P. et al.
- Al-Harbi, A.H., *see* Siddiqui, A.Q. et al.
- Allan, G.L., *see* Rowland, S.J. et al.
- Allan, G.L., Moriarty, D.J.W. and Maguire, G.B.
- Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds 130 (1995) 329
- Allan, G.L. and Maguire, G.B.
- Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell) 131 (1995) 59
- Amaro, C., *see* Esteve, C. et al.
- Amend, D.F., *see* Slater, C.H. et al.
- Anantha, C.S., *see* Bhaskar, N. et al.
- Anav, F.A., *see* Tandler, A. et al.
- Anderson, D.M., *see* Anderson, J.S. et al.
- Anderson, J.S., Lall, S.P., Anderson, D.M. and McNiven, M.A.
- Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*) . 138 (1995) 291
- André, F., *see* Perche, G. et al.
- Andrew Sullivan, J. and Reigh, R.C. Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*morone saxatilis* ♀ × *mormone chrysops* ♂) 138 (1995) 313
- Angka, S.L., Lam, T.J. and Sin, Y.M.

- Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*) 130 (1995) 103
- Aničić, I., Treer, T. and Safner, R.
The influence of a nutritive antibiotic on the production results in 1-year-old carp (*Cyprinus carpio*) fingerlings 129 (1995) 251
- Antony, J.M., *see* Bhaskar, N. et al.
- Appelbaum, S., Craig Clarke, W., Shelbourn, J.E., Jensen, J.O.T., C Whyte, J.N. and Iwama, G.K.
Studies on rearing of lingcod *Ophiodon elongatus* 135 (1995) 219
- Arai, K., *see* Matsubara, K. et al.
- Arai, K., Ikeno, M. and Suzuki, R.
Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids 137 (1995) 131
- Arieli, B., *see* Schneegurt, M.A. et al.
- Arimoto, M., Yamazaki, T., Mizuta, Y. and Furusawa, I.
Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV) 132 (1995) 213
- Arnold, C.R., *see* Davis, D.A. et al.
- Arviv, R., *see* Aboutboul, Y. et al.
- Arzel, J., Métailler, R., Kerleguer, C., Le Delliou, H. and Guillaume, J.
The protein requirement of brown trout (*Salmo trutta*) fry 130 (1995) 67
- Åsgård, T., *see* Sigholt, T. et al.
- Avnimelech, Y., Mozes, N., Diab, S. and Kochba, M.
Rates of organic carbon and nitrogen degradation in intensive fish ponds 134 (1995) 211
- Ayyar, S.P., *see* Basavaraju, Y. et al.
- Azevedo, C., *see* Sagristà, E. et al.
- Bacher, C., *see* Bougrier, S. et al.
- Bachère, E., *see* Hervio, D. et al.
- Bachère, E., *see* Mialhe, E. et al.
- Bachère, E., Mialhe, E., Noël, D., Boulo, V., Morvan, A. and Rodriguez, J.
Knowledge and research prospects in marine mollusc and crustacean immunology 132 (1995) 17
- Bailey, H.C. and Doroshov, S.I.
The duration of the interval associated with successful inflation of the swimbladder in larval striped bass (*Morone saxatilis*) 131 (1995) 135
- Bailey, J.K., *see* Friars, G.W. et al.
- Bakos, J., *see* Gorda, S. et al.
- Bakos, J. and Gorda, S.
Genetic improvement of common carp strains using intraspecific hybridization 129 (1995) 183
- Baldwin, J., *see* Wells, R.M.G. et al.
- Balebona, M.C., Moriñigo, M.A., Faris, A., Krovacek, K., Månsson, I., Bordas, M.A. and Borrego, J.J.
Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus 132 (1995) 113
- Balkay, I., *see* Krasznai, Z. et al.
- Balkay, L., *see* Krasznai, Z. et al.
- Ballment, E., *see* Benzie, J.A.H. et al.
- Balogum, M.
The prospects of indigenous alternative feed resources for carp culture in Nigeria 129 (1995) 391
- Balon, E.K.
Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers 129 (1995) 3
- Balouchi, A.N., *see* Esteky, A.A. et al.
- Barja, J.L., *see* Novoa, B. et al.
- Barja, J.L., *see* Toranzo, A.E. et al.
- Barker, G.A. and Kehoe, E.
Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*

- Barlow, C.G., Pearce, M.G., Rodgers, L.J. and Clayton, P.
Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile
barramundi *Lates calcarifer* (Bloch) 138 (1995) 159
- Barnett, H.J., *see* Hardy, R.W. et al.
- Barry, T.P., Malison, J.A., Lapp, A.F. and Procarione, L.S.
Effects of selected hormones and male cohorts on final oocyte maturation, ovulation, and
steroid production in walleye (*Stizostedion vitreum*) 138 (1995) 331
- Barth, T., Hauzerova, L., Barthova, J., Kouril, J., Hamackova, J. and Vachta, R.
Extraction of proteolytic enzymes of gastrointestinal tract extracted from offal viscera of
carp and tilapia 129 (1995) 251
- Barthova, J., *see* Barth, T. et al.
- Bartley, D.M. and Hallerman, E.M.
A global perspective on the utilization of genetically modified organisms in aquaculture and
fisheries 137 (1995) 1
- Bartnicka, B., *see* Jezierska, B. et al.
- Basavaraju, Y., Devaraj, K.V. and Ayyar, S.P.
Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*
..... 129 (1995) 187
- Bauce, G., *see* Marchetti, M. et al.
- Baudin Laurencin, F., *see* Vigneulle, M. et al.
- Bayne, B.L., *see* Hedgecock, D. et al.
- Beacham, T.D., *see* Withler, R.E. et al.
- Beal, B.F., Lithgow, C.D., Shaw, D.P., Renshaw, S. and Ouellette, D.
Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field
test of site, clam size, and intraspecific density 130 (1995) 145
- Beames, R.M., *see* Teskeredžić, Z. et al.
- Beardmore, J.A., *see* Mair, G.C. et al.
- Becker, K. and Focken, U.
Effect of feed supplementation with L-carnitine on growth, metabolism and body
composition of carp (*Cyprinus carpio* L.) 129 (1995) 341
- Begum, N., *see* Rahman, M.A. et al.
- Beiras, R., *see* Camacho, A.P. et al.
- Bell, J.G., *see* McEvoy, L.A. et al.
- Bell, T.A., *see* Park, E.D. et al.
- Benatti, G., *see* Zoccarato, I. et al.
- Ben-Dom, N., *see* Cherfas, N.B. et al.
- Ben-Dom, N., *see* Gomelsky, B.I. et al.
- Benfey, T.J., *see* McGeachy, S.A. et al.
- Benfey, T.J., *see* Ojolick, E.J. et al.
- Bentzen, P., *see* McConnell, S. et al.
- Benzie, J.A.H., *see* Garcia, D.K. et al.
- Benzie, J.A.H., Kenway, M., Ballment, E., Frusher, S. and Trott, L.
Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus* .. 133 (1995) 103
- Benzie, J.A.H., Frusher, S.D., Kenway, M. and Trott, L.
Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus*
monodon) in aquaculture environments 136 (1995) 57
- Bercsenyi, M., *see* Csengeri, I. et al.
- Berge, J.A., *see* Hektoen, H. et al.
- Bergot, P., *see* Geurden, I. et al.
- Berkowitz, B., *see* Rijn, J.v. et al.
- Bern, H.A., *see* Siharath, K. et al.
- Bern, H.A., *see* Young, G. et al.
- Bernardino, G., *see* Foresti de Almeida-Toledo, L. et al.
- Beveridge, M.C.M., *see* Steffens, W. et al.
- Bhadra, A., *see* Rahman, M.A. et al.

- Bhaskar, N., Setty, T.M.R., Reddy, G.V.S., Manoj, Y.B., Anantha, C.S., Raghunath, B.S. and Antony, J.M.
Incidence of *Salmonella* in cultured shrimp *Penaeus monodon* 138 (1995) 257
- Bianchini, M.L., *see* Zoccarato, I. et al.
- Bienfang, P.K., *see* Watanabe, W.O. et al.
- Bieniarz, K., Szymacha, J. and Epler, P.
Gonad development, ovulation and spermiation in carp under highly eutrophicated pond
conditions 129 (1995) 133
- Bigoni, A.P.V., *see* Foresti de Almeida-Toledo, L. et al.
- Billard, R., *see* Linhart, O. et al.
- Billard, R., *see* Perchec, G. et al.
- Billard, R., *see* Suquet, M. et al.
- Billard, R., Cosson, J., Perchec, G. and Linhart, O.
Biology of sperm and artificial reproduction in carp 129 (1995) 95
- Biosca, E.G., *see* Esteve, C. et al.
- Bíró, P.
Management of pond ecosystems and trophic webs 129 (1995) 373
- Björdal, Å., *see* Fernö, A. et al.
- Björnsson, B.
The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus*
L.) reared in large tanks for 3 years 138 (1995) 281
- Black, K.D., *see* Kiemer, M.C.B. et al.
- Blanc, G., *see* Bris, H.L. et al.
- Blancheton, J.-P. and Canaguier, B.
Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*)
production system 133 (1995) 215
- Blanco, A., *see* López-Albors, O. et al.
- Blázquez, M., Piferrer, F., Zanuy, S., Carrillo, M. and Donaldson, E.M.
Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.)
aquaculture: effects of dietary 17 α -methyltestosterone prior to sex differentiation 135 (1995) 329
- Blow, P.Q.C., *see* Stirling, H.P. et al.
- Bocquené, G., *see* Bris, H.L. et al.
- Bogatu, D., Bumbaru, S., Oprea, L., Trofimov, L., Novac, C. and Metaxa, I.
Expert system for ichthyopathological diagnosis 129 (1995) 437
- Bogut, I., Opačak, A. and Stević, I.
The influence of polyzymes added to the food on the growth of carp fingerlings (*Cyprinus*
carpio L.) 129 (1995) 252
- Bøggwald, J., *see* Gildberg, A. et al.
- Boll, M.G. and Garádi, P.
Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of
government initiatives 129 (1995) 469
- Bombero-Tuburan, I., Fukumoto, S. and Rodriguez, E.M.
Use of the golden apple snail, cassava, and maize as feeds for the tiger shrimp, *Penaeus*
monodon, in ponds 131 (1995) 91
- Bongers, A.B.J., Abarca, J.B., Zandieh Doulabi, B., Eding, E.H., Komen, J. and Richter, C.J.J.
Maternal influence on development of androgenetic clones of common carp, *Cyprinus*
carpio L. 137 (1995) 139
- Bordas, M.A., *see* Balebona, M.C. et al.
- Borlongan, I.G., *see* Sumagaysay, N.S. et al.
- Borrego, J.J., *see* Balebona, M.C. et al.
- Borrego, J.J., *see* Castro, D. et al.
- Bosakowski, T., *see* Wagner, E.J. et al.
- Bosakowski, T. and Wagner, E.J.
Experimental use of cobble substrates in concrete raceways for improving fin condition of
cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*) 130 (1995) 159

- Bougrier, S., Geairon, P., Deslous-Paoli, J.M., Bacher, C. and Jonquères, G.
Allometric relationships and effects of temperature on clearance and oxygen consumption
rates of *Crassostrea gigas* (Thunberg) 134 (1995) 143
- Bouix, G., *see* Bourmaud, C.A.-F. et al.
- Boulo, V., *see* Bachère, E. et al.
- Boulo, V., *see* Hervio, D. et al.
- Boulo, V., *see* Mialhe, E. et al.
- Bourmaud, C.A.-F., Romestand, B. and Bouix, G.
Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758)
immunoglobulins 132 (1995) 53
- Brackett, J. and Teskeredzic, Z.
Growth: Chairmen's Summary 129 (1995) 345
- Brämick, U., Puckhaber, B., Langholz, H.-J. and Hörstgen-Schwark, G.
Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions 137 (1995) 343
- Brennan, G.P., *see* Ramasamy, P. et al.
- Bridges, R.B., *see* Teskeredžić, Z. et al.
- Bris, H.L., Maffart, P., Bocquené, G., Buchet, V., Galgani, F. and Blanc, G.
Laboratory study on the effect of dichlorvos on two commercial bivalves 138 (1995) 139
- Bromage, N.R., *see* Hussain, M.G. et al.
- Brown, C.L. and Kim, B.G.
Combined application of cortisol and triiodothyronine in the culture of larval marine finfish
..... 135 (1995) 79
- Brown, J.A., *see* Clark, D.S. et al.
- Brown, J.A., *see* Srivastava, R.K. et al.
- Bruno, D.W., Collins, R.O. and Morrison, C.M.
The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout,
Oncorhynchus mykiss Walbaum, in Scotland 133 (1995) 341
- Brzeski, V.J. and Doyle, R.W.
A test of an on-farm selection procedure for tilapia growth in Indonesia 137 (1995) 219
- Buchet, V., *see* Bris, H.L. et al.
- Buchmann, K., Slotved, H.-C. and Dana, D.
Gill parasites from *Cyprinus carpio* in Indonesia 129 (1995) 438
- Bullock, A.M., *see* Kierner, M.C.B. et al.
- Bumbaru, S., *see* Bogatu, D. et al.
- Bunnell, P.R., *see* Gingerich, W.H. et al.
- Burhanuddin, ., *see* Soto, C.G. et al.
- Byers, R.E., *see* Sampath-Kumar, R. et al.
- Caceres, L.A., *see* Martínez, G. et al.
- Cáceres-Martínez, J., Robledo, J.A.F. and Figueras, A.
Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the
flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain) 130 (1995) 15
- Cadoret, J.P., *see* Gendreau, S. et al.
- Cadoret, J.P., *see* Mialhe, E. et al.
- Cailletaux, G., *see* Hervio, D. et al.
- Calvi, S.L., *see* Zoccarato, I. et al.
- Camacho, A.P., Labarta, U. and Beiras, R.
Growth of mussels (*Mytilus edulis galloprovincialis*) on cultivation rafts: influence of seed
source, cultivation site and phytoplankton availability 138 (1995) 349
- Canaguier, B., *see* Blancheton, J.-P. et al.
- Cañavate, J.P., *see* Marin-Magan, V. et al.
- Capra, M.F., *see* Gu, H. et al.
- Carli, A., Mariottini, G.L. and Pane, L.
Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda:
Harpacticoida) 134 (1995) 113

- Carral, J.M., *see* Sáez-Royuela, M. et al.
- Carrillo, M., *see* Blázquez, M. et al.
- Castellanos-Molina, R., *see* Reyes-Sosa, C.F. et al.
- Castro, D., Luque, A., Santamaría, J.A., Maes, P., Martínez-Manzanares, E. and Borrego, J.J.
Development of immunological techniques for the detection of the potential causative agent
of the brown ring disease 132 (1995) 97
- Catacutan, M.R. and Coloso, R.M.
Effect of dietary protein to energy ratios on growth, survival, and body composition of
juvenile Asian seabass, *Lates calcarifer* 131 (1995) 125
- Cavari, B., Noso, T. and Kawauchi, H.
Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream
Sparus aurata 137 (1995) 171
- Cazabon, D., *see* Kerry, J. et al.
- Celada, J.D., *see* Sáez-Royuela, M. et al.
- Cerdà, J., Pou, M.N., Gállego, L. and Comas, M.A.
Economic importance of mirror carp (*Cyprinus carpio* var. *specularis*) release in
agricultural irrigation ponds on the island of Majorca, Spain 129 (1995) 475
- Chaber, J., *see* Witeska, M. et al.
- Chartois, H., *see* Person-Le Ruyet, J. et al.
- Chatakondi, N., Lovell, R.T., Duncan, P.L., Hayat, M., Chen, T.T., Powers, D.A., Weete, J.D.,
Cummins, K. and Dunham, R.A.
Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout
growth hormone gene 138 (1995) 99
- Chavez, P., *see* Riquelme, C. et al.
- Chen, J.-C. and Lin, C.-Y.
Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of
Penaeus chinensis exposed to ambient ammonia at different salinity and pH levels 136 (1995) 243
- Chen, L.X., *see* Lin, H.R. et al.
- Chen, N., *see* Lan, W.G. et al.
- Chen, S., Wu, J. and Malone, R.F.
Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish
(*Procambarus clarkii*) 131 (1995) 205
- Chen, S.-N., *see* Lo, C.-F. et al.
- Chen, T.T., *see* Chatakondi, N. et al.
- Chen, Y.-C., *see* Hsu, Y.-L. et al.
- Cherfas, N.B., *see* Gomelsky, B.I. et al.
- Cherfas, N.B., Hulata, G., Gomelsky, B.I., Ben-Dom, N. and Peretz, Y.
Chromosome set manipulations in the common carp, *Cyprinus carpio* L. 129 (1995) 217
- Cherfas, N.B., Emelyanova, O.V., Recoubratsky, A.V. and Gomelsky, B.I.
Cytogenetic and fishery properties of hybrids between the crucian carp and the common
carp: an application of genetic methods in treatment of distant hybrids 129 (1995) 218
- Chi, S.-C., *see* Lo, C.-F. et al.
- Chiba, H., *see* Ijiri, S. et al.
- Chini Zittelli, G., *see* Montaini, E. et al.
- Choshniak, I., *see* Tandler, A. et al.
- Chou, C.-M., *see* Kou, G.-H. et al.
- Chou, C.-M., *see* Lo, C.-F. et al.
- Choubert, G., *see* Thompson, I. et al.
- Chuang, J.-C., *see* Shiau, S.-Y. et al.
- Clark, D.S., Brown, J.A., Goddard, S.J. and Moir, J.
Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens 131 (1995) 49
- Clayton, P., *see* Barlow, C.G. et al.
- Cochennec, N., *see* Hervio, D. et al.
- Coimbra, J., *see* Dos Santos, A.M.T. et al.

- Collins, R.O., *see* Bruno, D.W. et al.
- Coloso, R.M., *see* Catacutan, M.R. et al.
- Comas, M.A., *see* Cerdà, J. et al.
- Cook, D., *see* Herbing, C.M. et al.
- Cook, D., *see* McConnell, S. et al.
- Cooper, E.L.
 - Immunology: a look toward the sea and what we have learned from tunicates 132 (1995) 1
- Cosson, J., *see* Billard, R. et al.
- Cosson, J., *see* Perchec, G. et al.
- Cosson, J., *see* Suquet, M. et al.
- Courtney, H.P., *see* Wilkins, N.P. et al.
- Coyne, R., *see* Hiney, M.P. et al.
- Coyne, R., *see* Kapetanaki, M. et al.
- Coyne, R., *see* Kerry, J. et al.
- Craig Clarke, W., *see* Appelbaum, S. et al.
- Crandell, P.A., Matsuoka, M.P. and Smoker, W.W.
 - Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*) 137 (1995) 109
- Cravedi, J.P., *see* Kaushik, S.J. et al.
- Crim, L.W., *see* Yao, Z. et al.
- Cripps, S.J.
 - Serial particle size fractionation and characterisation of an aquacultural effluent 133 (1995) 323
- Cross, T., *see* Galvin, P. et al.
- Cruz, P., *see* Ibarra, A.M. et al.
- Csengeri, I., *see* Petitjean, M. et al.
- Csengeri, I., Petitjean, M. and Bercsenyi, M.
 - Freeze-fractured liver as a starter diet for cyprinid larvae 129 (1995) 252
 - Csizmadia, Cs., Jeney, Zs., Szerencsés, I. and Gorda, S.
 - Transferrin polymorphism of some races in a live gene bank of common carp 129 (1995) 193
- Cuif, J.-P., *see* Dauphin, Y. et al.
- Culver, D.A., *see* Qin, J. et al.
- Culverhouse, P.F., *see* Newbury, P.F. et al.
- Cummins, K., *see* Chatakondi, N. et al.
- Curatolo, A., *see* Wilkins, N.P. et al.
- Curry Woods, L., Ely, B., Leclerc, G. and Harrell, R.M.
 - Evidence for genetic purity of captive and domestic striped bass broodstocks 137 (1995) 41
- Cusack, R., *see* Ojolic, E.J. et al.
- C Whyte, J.N., *see* Appelbaum, S. et al.
- D'Abramo, L.R., *see* Tidwell, J.H. et al.
- Dalsgaard, A. and Olsen, J.E.
 - Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand 136 (1995) 291
- Dana, D., *see* Buchmann, K. et al.
- Daniels, W.H., *see* Tidwell, J.H. et al.
- Danzmann, R.G. and Ferguson, M.M.
 - Heterogeneity in the body size of Ontario cultured rainbow trout with different mitochondrial DNA haplotypes 137 (1995) 231
- Dauphin, Y. and Cuif, J.-P.
 - Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia 133 (1995) 113
- Davis, D.A. and Arnold, C.R.
 - Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei* 133 (1995) 287
- Davis, K.B., *see* Goudie, C.A. et al.

- Davis, K.B., *see* Goudie, C.A. et al.
- Dawson, V.K., *see* Gingerich, W.H. et al.
- Deady, S., Varian, S.J.A. and Fives, J.M.
 The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages 131 (1995) 73
- Dedi, J., Takeuchi, T., Seikai, T. and Watanabe, T.
 Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia nauplii* 133 (1995) 135
- Dehasque, M., *see* Merchie, G. et al.
- De Jesus, E.G., *see* Tanaka, M. et al.
- Delaney, L.J., *see* Gingerich, W.H. et al.
- De Leenheer, A., *see* Merchie, G. et al.
- Dell'Agnello, M., *see* Geri, G. et al.
- Dell'Agnello, M., *see* Geri, G. et al.
- Del Valle, G. and Taniguchi, N.
 Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions 137 (1995) 193
- Dementiev, V.N., *see* Katassonov, V.Ja. et al.
- Deslous-Paoli, J.M., *see* Bougrier, S. et al.
- Desprez, D., Mélard, C. and Philippart, J.C.
 Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny 130 (1995) 35
- Devaraj, K.V., *see* Basavaraju, Y. et al.
- Devaraj, K.V., *see* Seenappa, D. et al.
- Devesa, S., *see* Toranzo, A.E. et al.
- Devlin, R.H., Yesaki, T.Y., Donaldson, E.M. and Hew, C.-L.
 Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*) 137 (1995) 161
- Dhert, Ph., *see* Merchie, G. et al.
- Diab, S., *see* Avnimelech, Y. et al.
- Diaz, M.A., *see* Martínez, G. et al.
- Dölz, H., *see* Sievers, G. et al.
- Donaldson, E., *see* Teskeredžić, E. et al.
- Donaldson, E.M., *see* Blázquez, M. et al.
- Donaldson, E.M., *see* Devlin, R.H. et al.
- Donaldson, E.M., *see* Withler, R.E. et al.
- Donlon, J., *see* Mai, K. et al.
- Donlon, J., *see* Mai, K. et al.
- Donlon, J., *see* Mgaya, Y.D. et al.
- Doroshov, S., *see* Moberg, G.P. et al.
- Doroshov, S.I., *see* Bailey, H.C. et al.
- Doroshov, S.I., *see* Logan, S.H. et al.
- Dosanjh, B.S., *see* Teskeredžić, Z. et al.
- Dos Santos, A.M.T. and Coimbra, J.
 Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation 132 (1995) 195
- Doyle, R.W., *see* Brzeski, V.J. et al.
- Doyle, R.W., *see* Herbinger, C.M. et al.
- Duerr, E.O., *see* Ostrowski-Meissner, H.T. et al.
- Duncan, P.L., *see* Chatakondi, N. et al.
- Dunham, R.A., *see* Chatakondi, N. et al.
- Durfort, M., *see* Sagristà, E. et al.
- Duston, J. and Saunders, R.L.

- Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water 135 (1995) 275
- Eding, E.H., *see* Bongers, A.B.J. et al.
- Einarsdottir, I.E., *see* Olsen, Y.A. et al.
- Eiras, J.C., *see* Santos, M.J. et al.
- Eklund, M.W., *see* Hardy, R.W. et al.
- Elema, M.O., Hoff, K.A. and Kristensen, H.G.
Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.) 136 (1995) 209
- Elliott, D.G., Pascho, R.J. and Palmisano, A.N.
Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater 132 (1995) 133
- Ellis, E.P., *see* Watanabe, W.O. et al.
- Ellis, E.P., *see* Watanabe, W.O. et al.
- Ellis, S.C., *see* Watanabe, W.O. et al.
- Ellis, S.C., *see* Watanabe, W.O. et al.
- Ely, B., *see* Curry Woods, L. et al.
- Emelyanova, O.V., *see* Cherfas, N.B. et al.
- Emri, M., *see* Krasznai, Z. et al.
- Engelking, M.H., *see* Hsu, Y.-L. et al.
- Epler, P., *see* Bieniarz, K. et al.
- Erfanullah, . and Jafri, A.K.
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita* 136 (1995) 331
- Eriksen, J.R., *see* Roos, N. et al.
- Ervik, A., *see* Lunestad, B.T. et al.
- Escaffre, A.-M. and Kaushik, S.J.
Survival and growth of first-feeding common carp larvae fed artificial diets containing soybean protein concentrate 129 (1995) 253
- Esquivel-Herrera, A., *see* Rodríguez-Gutiérrez, M. et al.
- Esteky, A.A., Oláh, J., Balouchi, A.N. and Pekár, F.
The effect of high stocking density of fish and duck on pond community structure 129 (1995) 391
- Esteky, A.A., Oláh, J., Pekár, F., Nezami-Balouchi, S.A. and Szabó, P.
Fish stressor environment in high-stocked fish-cum-duck ponds 129 (1995) 393
- Esteve, C., Amaro, C., Biosca, E.G. and Garay, E.
Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm 132 (1995) 81
- Evans, L.H., *see* Sudaryono, A. et al.
- Eves, A., Turner, C., Yakupitiyage, A., Tongdee, N. and Ponza, S.
The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*) 132 (1995) 261
- Ezzi, I., *see* Kiemer, M.C.B. et al.
- Faina, R., *see* Svobodová, Z. et al.
- Faisal, M., Rutan, B.J. and Sami-Demmerle, S.
Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae) 132 (1995) 59
- Faris, A., *see* Balebona, M.C. et al.
- Fauconneau, B., *see* Kaushik, S.J. et al.
- Fauconneau, B., Alami-Durante, H., Laroche, M., Marcel, J. and Vallot, D.
Growth and meat quality relations in carp 129 (1995) 265
- Fauvel, C., *see* Suquet, M. et al.
- Feist, G., *see* Schreck, C.B. et al.
- Feist, G., Yeoh, C.-G., Fitzpatrick, M.S. and Schreck, C.B.
The production of functional sex-reversed male rainbow trout with 17 α -methyltestosterone and 11 β -hydroxyandrostenedione 131 (1995) 145

- Ferguson, A., *see* Prodöhl, P.A. et al.
- Ferguson, M.M., *see* Danzmann, R.G. et al.
- Fernández-Díaz, C. and Yúfera, M.
Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules 134 (1995) 269
- Fernández-Díaz, C., *see* Yúfera, M. et al.
- Fernández-Palacios, H., *see* Robaina, L. et al.
- Fernández-Palacios, H., Izquierdo, M.S., Robaina, L., Valencia, A., Salhi, M. and Vergara, J.M.
Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.) 132 (1995) 325
- Fernández Sevilla, J.M., *see* Montaini, E. et al.
- Fernö, A., Huse, I., Juell, J.-E. and Bjordal, Å.
Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction 132 (1995) 285
- Fielder, D.R., *see* Loya-Javellana, G.N. et al.
- Figuera, A., *see* Cáceres-Martínez, J. et al.
- Figuera, A., *see* Novoa, B. et al.
- Figuera, A., *see* Novoa, B. et al.
- Figuera, A., *see* Robledo, J.A.F. et al.
- Filho, S.d.A.T., *see* Foresti de Almeida-Toledo, L. et al.
- Fitzpatrick, M.S., *see* Feist, G. et al.
- Fitzpatrick, M.S., *see* Slater, C.H. et al.
- Fives, J.M., *see* Deady, S. et al.
- Fjelde, S., *see* Lunestad, B.T. et al.
- Flajšhans, M., *see* Linhart, O. et al.
- Flajšhans, M., *see* Linhart, O. et al.
- Fleeger, J.W., *see* Sun, B. et al.
- Fleming, A.E.
Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra* 132 (1995) 297
- Fleming, A.E.
Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference 134 (1995) 279
- Focken, U., *see* Becker, K. et al.
- Fonarev, N., *see* Rijn, J.v. et al.
- Foresti de Almeida-Toledo, L., Bigoni, A.P.V., Bernardino, G. and Filho, S.d.A.T.
Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil 135 (1995) 277
- Forsberg, O.I.
Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence 133 (1995) 235
- Fox, J.M., Lawrence, A.L. and Li-Chan, E.
Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources 131 (1995) 279
- Frazer, A.W.J., *see* Heasman, M.P. et al.
- Freites, L., *see* Vélez, A. et al.
- Friars, G.W., *see* McGeachy, S.A. et al.
- Friars, G.W., Bailey, J.K. and O'Flynn, F.M.
Applications of selection for multiple traits in cage-reared Atlantic salmon (*Salmo salar*) . 137 (1995) 213
- Frusher, S., *see* Benzie, J.A.H. et al.
- Frusher, S.D., *see* Benzie, J.A.H. et al.
- Fuentes, J., *see* Molaes, J. et al.
- Fukumoto, S., *see* Bombeo-Tuburan, I. et al.
- Fuller, M.J., *see* Tidwell, J.H. et al.

- Furukawa, K., *see* Sato, N. et al.
- Furusawa, I., *see* Arimoto, M. et al.
- Fuseya, M., *see* Mizukami, Y. et al.
- Galbreath, P.F. and Thorgaard, G.H.
Sexual maturation and fertility of diploid and triploid Atlantic salmon \times brown trout hybrids 137 (1995) 299
- Galbreath, P.F. and Thorgaard, G.H.
Saltwater performance of all-female triploid Atlantic salmon 138 (1995) 77
- Galgani, F., *see* Bris, H.L. et al.
- Gallardo, P.P., Alfonso, E., Gaxiola, G., Soto, L.A. and Rosas, C.
Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii 131 (1995) 239
- Gállego, L., *see* Cerdà, J. et al.
- Galvin, P., McGregor, D. and Cross, T.
A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species 137 (1995) 31
- Garádi, P., *see* Boll, M.G. et al.
- Garay, E., *see* Esteve, C. et al.
- Garcia, D.K. and Benzie, J.A.H.
RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs . 130 (1995) 137
- García-Alcázar, A., *see* López-Albors, O. et al.
- García-Vázquez, E., Moran, P., Linde, A.R., Pendas, A.M. and Izquierdo, J.I.
Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing 132 (1995) 233
- Gáspár Jr., R., *see* Krasznai, Z. et al.
- Gauglitz, Jr., E.J., *see* Hardy, R.W. et al.
- Gaxiola, G., *see* Gallardo, P.P. et al.
- Geairon, P., *see* Bougrier, S. et al.
- Gendreau, S., Lardans, V., Cadoret, J.P. and Mialhe, E.
Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos 133 (1995) 199
- George, T. and Pandian, T.J.
Production of ZZ females in the female-heterogametic black molly, *Poecilia sphenops*, by endocrine sex reversal and progeny testing 136 (1995) 81
- Geri, G., Lupi, P., Parisi, G., Dell'Agnello, M., Martini, A. and Ponzetta, M.P.
Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight 129 (1995) 323
- Geri, G., Poli, B.M., Gualtieri, M., Lupi, P. and Parisi, G.
Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment 129 (1995) 329
- Geri, G., Poli, B.M., Gualtieri, M., Dell'Agnello, M. and Mecatti, M.
Body traits and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by age 129 (1995) 335
- Germain-Henry, M., *see* Næss, T. et al.
- Geurden, I., Radünz-Neto, J. and Bergot, P.
Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae 131 (1995) 303
- Gibson, O., *see* Lubzens, E. et al.
- Gifford, J.M., *see* Park, E.D. et al.
- Gil, F., *see* López-Albors, O. et al.
- Gildberg, A., Johansen, A. and Børgwald, J.
Growth and survival of Atlantic salmon (*Salmo salar*) fry given diets supplemented with fish protein hydrolysate and lactic acid bacteria during a challenge trial with *Aeromonas salmonicida* 138 (1995) 23
- Gilles, S., *see* Agnès, J.-F. et al.

- Gilroy, D., *see* Kerry, J. et al.
- Gingerich, W.H., Meinertz, J.R., Dawson, V.K., Gofus, J.E., Delaney, L.J. and Bunnell, P.R.
Distribution and elimination of [^{14}C]saraflloxacin hydrochloride from tissues of juvenile
channel catfish (*Ictalurus punctatus*) 131 (1995) 23
- Goddard, S.J., *see* Clark, D.S. et al.
- Godin, D.M., *see* Wyban, J. et al.
- Gofus, J.E., *see* Gingerich, W.H. et al.
- Gomelsky, B.I., *see* Cherfas, N.B. et al.
- Gomelsky, B.I., *see* Cherfas, N.B. et al.
- Gomelsky, B.I., *see* Grunina, A.S. et al.
- Gomelsky, B.I., Cherfas, N.B., Hulata, G., Peretz, Y. and Ben-Dom, N.
Hormonal sex inversion in the common carp, *Cyprinus carpio* L. 129 (1995) 218
- Gomes, E.F., Rema, P. and Kaushik, S.J.
Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus
mykiss*): digestibility and growth performance 130 (1995) 177
- González, P., *see* Robledo, J.A.F. et al.
- González, S., *see* Mourente, G. et al.
- Goodall, E.A., *see* Wheatley, S.B. et al.
- Gorda, S., *see* Bakos, J. et al.
- Gorda, S., *see* Csizmadia, Cs. et al.
- Gorda, S., *see* Jeney, Zs. et al.
- Gorda, S., Bakos, J., Liska, J. and Kakuk, Cs.
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas 129 (1995) 199
- Gordon, M.E., *see* Pickering, T.D. et al.
- Gordon Grau, E., *see* Ron, B. et al.
- Górny, W., *see* Wolnicki, J. et al.
- Górny, W., *see* Wolnicki, J. et al.
- Górny, W., *see* Wolnicki, J. et al.
- Gosling, E., *see* Wilkins, N.P. et al.
- Gosling, E.M., *see* Mgaya, Y.D. et al.
- Goswami, U.C., *see* Hatlen, B. et al.
- Goudie, C.A., Simco, B.A., Davis, K.B. and Liu, Q.
Production of gynogenetic and polyploid catfish by pressure-induced chromosome set
manipulation 133 (1995) 185
- Goudie, C.A., Liu, Q., Simco, B.A. and Davis, K.B.
Genetic relationship of growth, sex and glucosephosphate isomerase-B phenotypes in
channel catfish (*Ictalurus punctatus*) 138 (1995) 119
- Grayson, T.H., *see* Roper, J. et al.
- Groll, Y., *see* Moav, B. et al.
- Grunina, A.S., Neyfakh, A.A. and Gomelsky, B.I.
Investigations on diploid androgenesis in fish 129 (1995) 219
- Gu, H., Mather, P.B. and Capra, M.F.
Juvenile growth performance among stocks and families of red claw crayfish, *Cherax
quadricarinatus* (von Martens) 134 (1995) 29
- Gualtieri, M., *see* Geri, G. et al.
- Gualtieri, M., *see* Geri, G. et al.
- Guillaume, J., *see* Arzel, J. et al.
- Guillaume, J., *see* Stéphan, G. et al.
- Guillou, A., Khalil, M. and Adambounou, L.
Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed
shrimp (*Pandalus borealis*) waste 130 (1995) 351
- Guillou, A., Soucy, P., Khalil, M. and Adambounou, L.
Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and
organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*) 136 (1995) 351

- Gunasekera, R.M., Shim, K.F. and Lam, T.J.
 Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in
 the tilapia, *Oreochromis niloticus* (L.). 134 (1995) 169
- Hacmanjek, M., *see* Teskeredžić, E. et al.
- Hallerman, E.M., *see* Bartley, D.M. et al.
- Hallerman, E.M. and Kapuscinski, A.R.
 Incorporating risk assessment and risk management into public policies on genetically
 modified finfish and shellfish 137 (1995) 9
- Hamackova, J., *see* Barth, T. et al.
- Hamáčková, J., *see* Linhart, O. et al.
- Hamilton, L., *see* McConnell, S. et al.
- Hand, R.E., *see* Nell, J.A. et al.
- Hardy, R.W., *see* Massee, K.C. et al.
- Hardy, R.W., *see* Teskeredžić, Z. et al.
- Hardy, R.W., Scott, T.M., Hatfield, C.L., Barnett, H.J., Gauglitz, Jr., E.J., Wekell, J.C. and Eklund, M.W.
 Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds 131 (1995) 253
- Harrell, R.M., *see* Curry Woods, L. et al.
- Harrell, R.M. and Woods III, L.C.
 Comparative fatty acid composition of eggs from domesticated and wild striped bass
 (*Morone saxatilis*) 133 (1995) 225
- Harris, J.E., *see* Roper, J. et al.
- Hart, P.R. and Purser, G.J.
 Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder
 (*Rhombosolea tapirina* Günther, 1862) 136 (1995) 221
- Hatfield, C.L., *see* Hardy, R.W. et al.
- Hatlen, B., Aas, G.H., Jørgensen, E.H., Storebakken, T. and Goswami, U.C.
 Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different
 dietary astaxanthin concentrations 138 (1995) 303
- Hauzerova, L., *see* Barth, T. et al.
- Hayashida, G., *see* Riquelme, C. et al.
- Hayat, M., *see* Chatakondi, N. et al.
- Head, W.D., *see* Watanabe, W.O. et al.
- Heasman, M.P., *see* O'Connor, W.A. et al.
- Heasman, M.P., O'Connor, W.A. and Frazer, A.W.J.
 Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve 131 (1995) 231
- Hedgecock, D., McGoldrick, D.J. and Bayne, B.L.
 Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines
 137 (1995) 285
- Heffernan, P.B., *see* O'Beirn, F.X. et al.
- Hektoen, H., Berge, J.A., Hormazabal, V. and Yndestad, M.
 Persistence of antibacterial agents in marine sediments 133 (1995) 175
- Herbinger, C.M., Doyle, R.W., Pitman, E.R., Paquet, D., Mesa, K.A., Morris, D.B., Wright, J.M. and
 Cook, D.
 DNA fingerprint based analysis of paternal and maternal effects on offspring growth and
 survival in communally reared rainbow trout 137 (1995) 245
- Hervio, D., Bachère, E., Boulo, V., Cochennec, N., Vuillemin, V., Le Coguic, Y., Cailletaux, G.,
 Mazurié, J. and Mialhe, E.
 Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with
 the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of
 parasite-resistant oysters 132 (1995) 183
- Hew, C.-L., *see* Devlin, R.H. et al.
- Hidas, A., *see* Váradi, L. et al.
- Hietala, J., Valtonen, E.T. and Aaltonen, T.
 Experimental infection of brown trout, *Salmo trutta* L., using a Finnish *Yersinia ruckeri*
 isolate 136 (1995) 11

- Higgs, D.A., *see* Teskeredžić, Z. et al.
 Hill Jr., S.J., *see* Tidwell, J.H. et al.
 Hilton, B., *see* Thorgaard, G.H. et al.
 Himmelman, J.H., *see* Vélez, A. et al.
 Hiney, M., *see* Kapetanaki, M. et al.
 Hiney, M., *see* Kerry, J. et al.
 Hiney, M.P., Coyne, R., Kerry, J., Pursell, L., Samuelson, O.B. and Smith, P.
 Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts
 to prevent the activation of stress inducible furunculosis 136 (1995) 31
 Hinitz, Y., *see* Moav, B. et al.
 Hinton, D.E., *see* Marty, G.D. et al.
 Hiott, A.E., *see* Shelton, W.L. et al.
 Hirano, T., *see* Tanaka, M. et al.
 Hirano, T., *see* Varnavsky, V.S. et al.
 Hoff, K.A., *see* Elema, M.O. et al.
 Hollis, M., *see* Rowland, S.J. et al.
 Holm, J.C., *see* Karlsen, Ø. et al.
 Hone, J.V., *see* Roper, J. et al.
 Hormazabal, V., *see* Hektoen, H. et al.
 Hörstgen-Schwark, G., *see* Brämick, U. et al.
 Hörstgen-Schwark, G., *see* Müller-Belecke, A. et al.
 Horváth, L., *see* Váradi, L. et al.
 Horváth, L. and Orbán, L.
 Genome and gene manipulation in the common carp 129 (1995) 157
 Houlihan, D.F., *see* Thompson, I. et al.
 Howerton, R.D., *see* Webster, C.D. et al.
 Hoxey, M.J., *see* Sudaryono, A. et al.
 Hsu, C., *see* Kuo, C. et al.
 Hsu, T.-S., *see* Shiau, S.-Y. et al.
 Hsu, Y.-L., Yang, Y.-H., Chen, Y.-C., Tung, M.-C., Wu, J.-L., Engelking, M.H. and Leong, J.C.
 Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of
 Penaeus monodon 136 (1995) 43
 Huberman, A., Aguilar, M.B. and Scott Quackenbush, L.
 A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri*
 (ortmann) 135 (1995) 149
 Hulata, G., *see* Cherfas, N.B. et al.
 Hulata, G., *see* Gomelsky, B.I. et al.
 Hulata, G., *see* Karplus, I. et al.
 Hulata, G.
 A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other
 cyprinids by crossbreeding, hybridization and selection 129 (1995) 143
 Humayun, N.M., *see* Hussain, M.G. et al.
 Hung, H.-W., *see* Kou, G.-H. et al.
 Huntingford, F.A., *see* Smith, I.P. et al.
 Huse, I., *see* Fernö, A. et al.
 Hussain, M.G., *see* Rahman, M.A. et al.
 Hussain, M.G., Rao, G.P.S., Humayun, N.M., Randall, C.F., Penman, D.J., Kime, D., Bromage, N.R.,
 Myers, J.M. and McAndrew, B.J.
 Comparative performance of growth, biochemical composition and endocrine profiles in
 diploid and triploid tilapia *Oreochromis niloticus* L. 138 (1995) 87
 Ibarra, A.M., Cruz, P. and Romero, B.A.
 Effects of inbreeding on growth and survival of self-fertilized catarina scallop larvae,
 Argopecten circularis 134 (1995) 37
 Ichimura, Y., *see* Wada, K.T. et al.

- Ijiri, S., Kazeto, Y., Takeda, N., Chiba, H., Adachi, S. and Yamauchi, K.
Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during
artificial maturation of cultivated Japanese eel, *Anguilla japonica* 135 (1995) 3
- Ikeda, Y., *see* Kurata, O. et al.
- Ikeno, M., *see* Arai, K. et al.
- Inostroza, R., *see* Sievers, G. et al.
- Inui, Y., Yamano, K. and Miwa, S.
The role of thyroid hormone in tissue development in metamorphosing flounder 135 (1995) 87
- Irnazarow, I.
Genetic variability of Polish and Hungarian carp lines 129 (1995) 215
- Isaka, M., *see* Tanaka, M. et al.
- Ishida, T., *see* Mizukami, Y. et al.
- Ishimoto, S., *see* Mizukami, Y. et al.
- Islam, M.S., *see* Rahman, M.A. et al.
- Iwama, G.K., *see* Appelbaum, S. et al.
- Iwama, G.K., *see* Ron, B. et al.
- Iwata, M.
Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid
hormones: A review 135 (1995) 131
- Izquierdo, J.I., *see* Garcia-Vazquez, E. et al.
- Izquierdo, M.S., *see* Fernández-Palacios, H. et al.
- Izquierdo, M.S., *see* Robaina, L. et al.
- Jafri, A.K., *see* Erfanullah, . et al.
- Jakobsen, H.J., *see* Sigholt, T. et al.
- Jang, Y.-S., *see* Kou, G.-H. et al.
- Jarayabhand, P. and Thavornyutikarn, M.
Realized heritability estimation on growth rate of oyster, *Saccostrea cucullata* Born, 1778.
..... 138 (1995) 111
- Jayakumar, R., *see* Ramasamy, P. et al.
- Jeney, G., *see* Jeney, Zs. et al.
- Jeney, G., *see* Jeney, Zs. et al.
- Jeney, Zs., *see* Csizmadia, Cs. et al.
- Jeney, Zs., Papp, Zs., Jeney, G. and Gorda, S.
Stress sensitivity of four genetically different strains of common carp (*Cyprinus carpio* L.)
..... 129 (1995) 203
- Jeney, Zs. and Jeney, G.
Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.) 129 (1995) 397
- Jenkins, P.G., *see* Roper, J. et al.
- Jensen, J.O.T., *see* Appelbaum, S. et al.
- Jezierska, B., *see* Witeska, M. et al.
- Jezierska, B. and Bartnicka, B.
The effect of pH on embryonic development of carp (*Cyprinus carpio* L.) 129 (1995) 134
- Johansen, A., *see* Gildberg, A. et al.
- Johansen, L.-H. and Sommer, A.-I.
In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from
Atlantic salmon (*Salmo salar* L.) 132 (1995) 91
- Johnson, M.R., *see* Wolters, W.R. et al.
- Johnston, W.E., *see* Logan, S.H. et al.
- Jones, C.M.
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens)
(Decapoda, Parastacidae) I. Development of hatchery and nursery procedures 138 (1995) 221
- Jones, C.M.
Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens)
(Decapoda, Parastacidae) II. Juvenile nutrition and habitat 138 (1995) 239

- Jones, C.M.
 Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens)
 (Decapoda, Parastacidae) III. Managed pond production trials 138 (1995) 247
- Jones, D.A., *see* Kumlu, M. et al.
- Jones, J.D., *see* Teskeredžić, Z. et al.
- Jonquières, G., *see* Bougrier, S. et al.
- Jonsson, L., *see* Schreck, C.B. et al.
- Jordan, C., *see* Wilkins, N.P. et al.
- Jørgensen, E.H., *see* Hatlen, B. et al.
- Juell, J.-E., *see* Fernö, A. et al.
- Kailis, S.G., *see* Sudaryono, A. et al.
- Kakuk, Cs., *see* Gorda, S. et al.
- Kamaishi, T., *see* Saitoh, K. et al.
- Kapetanaki, M., Kerry, J., Hiney, M., O'Brien, C., Coyne, R. and Smith, P.
 Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of
 colony formation on oxytetracycline-containing media 134 (1995) 227
- Kapuscinski, A.R., *see* Hallerman, E.M. et al.
- Karlsen, Ø., Holm, J.C. and Kjesbu, O.S.
 Effects of periodic starvation on reproductive investment in first-time spawning Atlantic
 cod (*Gadus morhua* L.) 133 (1995) 159
- Karnasuta, J., *see* Pongthana, N. et al.
- Karplus, I. and Hulata, G.
 Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk
 ablation on jumpers and laggards 138 (1995) 181
- Kasal, A., *see* Linhart, O. et al.
- Kastritsis, C., *see* Touraki, M. et al.
- Katassonov, V.Ja. and Dementiev, V.N.
 A scheme for selection of common carp males for offspring 129 (1995) 216
- Kaushik, S.J., *see* Escaffre, A.-M. et al.
- Kaushik, S.J., *see* Gomes, E.F. et al.
- Kaushik, S.J.
 Nutrient requirements, supply and utilization in the context of carp culture 129 (1995) 225
- Kaushik, S.J., Cravedi, J.P., Lalles, J.P., Sumpter, J., Fauconneau, B. and Laroche, M.
 Partial or total replacement of fish meal by soybean protein on growth, protein utilization,
 potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow
 trout, *Oncorhynchus mykiss* 133 (1995) 257
- Kawauchi, H., *see* Cavari, B. et al.
- Kawazoe, I., *see* Sato, N. et al.
- Kazeto, Y., *see* Ijiri, S. et al.
- Kehoe, E., *see* Barker, G.A. et al.
- Kelley, C.D., *see* Watanabe, W.O. et al.
- Kelly, S.P., *see* Woo, N.Y.S. et al.
- Kemppainen, B.W., *see* Lumlertdacha, S. et al.
- Kenway, M., *see* Benzie, J.A.H. et al.
- Kenway, M., *see* Benzie, J.A.H. et al.
- Kerleguer, C., *see* Arzel, J. et al.
- Kerr, S.R., *see* Ojolick, E.J. et al.
- Kerry, J., *see* Hiney, M.P. et al.
- Kerry, J., *see* Kapetanaki, M. et al.
- Kerry, J., Hiney, M., Coyne, R., NicGabhainn, S., Gilroy, D., Cazabon, D. and Smith, P.
 Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms
 131 (1995) 101
- Kestemont, P.
 Different systems of carp production and their impacts on the environment 129 (1995) 347

- Kestemont, P.
 Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae 136 (1995) 341
- Khalil, M., *see* Guillou, A. et al.
- Khalil, M., *see* Guillou, A. et al.
- Kiemer, M.C.B., Black, K.D., Lussot, D., Bullock, A.M. and Ezzi, I.
 The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.) 135 (1995) 311
- Kim, B.G., *see* Brown, C.L. et al.
- Kim, D.S., Nam, Y.K. and Park, I.-S.
 Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*) 135 (1995) 257
- Kim, M.K. and Lovell, R.T.
 Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictalurus punctatus* 134 (1995) 237
- Kim, M.K. and Lovell, R.T.
 Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds 135 (1995) 285
- Kime, D., *see* Hussain, M.G. et al.
- Kimura, R., *see* Tanaka, M. et al.
- Kirchgessner, M., *see* Schwarz, F.J. et al.
- Kito, H., *see* Mizukami, Y. et al.
- Kjesbu, O.S., *see* Karlsen, Ø. et al.
- Knight, W.L., *see* Tidwell, J.H. et al.
- Knösche, R. and Schreckenbach, K.
 The influence of carbohydrates in the feed on some physiological parameters of cultured fish—carp, trout and sturgeon hybrids 129 (1995) 254
- Knösche, R.
 Equipment: Chairman's Summary 129 (1995) 467
- Kobayashi, M., *see* Sakai, M. et al.
- Kobayashi, T., *see* Saitoh, K. et al.
- Kochba, M., *see* Avnimelech, Y. et al.
- Kochetov, A.A., *see* Tsvetkova, L.I. et al.
- Komaru, A., *see* Wada, K.T. et al.
- Komen, J., *see* Bongers, A.B.J. et al.
- Kou, G.-H., *see* Lo, C.-F. et al.
- Kou, G.-H., Wang, C.-H., Hung, H.-W., Jang, Y.-S., Chou, C.-M. and Lo, C.-F.
 A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum* 132 (1995) 161
- Kouril, J., *see* Barth, T. et al.
- Krasznai, Z., Márián, T., Balkay, L., Gáspár Jr., R. and Trón, L.
 Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm 129 (1995) 123
- Krasznai, Z., Márián, T., Balkay, I., Emri, M. and Trón, L.
 Permeabilization and structural changes in the membrane of common carp (*Cyprinus carpio* L.) sperm induced by hypo-osmotic shock 129 (1995) 135
- Kristensen, H.G., *see* Elema, M.O. et al.
- Krovacek, K., *see* Balebona, M.C. et al.
- Kudo, S., *see* Linhart, O. et al.
- Kumlu, M. and Jones, D.A.
 Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India 130 (1995) 287
- Kuo, C., Hsu, C. and Lin, C.
 Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon* 135 (1995) 161

- Kurata, O., Okamoto, N., Suzumura, E., Sano, N. and Ikeda, Y.
 Accommodation of carp natural killer-like cells to environmental temperatures 129 (1995) 421
- Kurosaki, H., *see* Wada, K.T. et al.
- Kvasnička, P., *see* Linhart, O. et al.
- Kvasnička, P., *see* Linhart, O. et al.
- Kvasnička, P., *see* Linhart, O. et al.
- Labarta, U., *see* Camacho, A.P. et al.
- Labrenty Montañez, J., *see* Tidwell, J.H. et al.
- Laing, I.
 Effect of food supply on oyster spatfall 131 (1995) 315
- Lall, S.P., *see* Anderson, J.S. et al.
- Lalles, J.P., *see* Kaushik, S.J. et al.
- Lam, T.J., *see* Angka, S.L. et al.
- Lam, T.J., *see* Gunasekera, R.M. et al.
- Lam, T.J., *see* Sampath-Kumar, R. et al.
- Lamas, J., *see* Noya, M. et al.
- Lamas, J., *see* Toranzo, A.E. et al.
- Lamour, F., *see* Stéphan, G. et al.
- Lan, W.G., Wong, M.K., Chen, N. and Sin, Y.M.
 Effect of combined copper, zinc, chromium and selenium by orthogonal array design on
 alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major* 131 (1995) 219
- Landolt, M.L., *see* Pascho, R.J. et al.
- Langholz, H.-J., *see* Brämick, U. et al.
- Lapp, A.F., *see* Barry, T.P. et al.
- Lardans, V., *see* Gendreau, S. et al.
- Laroche, M., *see* Fauconneau, B. et al.
- Laroche, M., *see* Kaushik, S.J. et al.
- Latchford, J.W., *see* Prayitno, S.B. et al.
- Latorre, R., *see* López-Albors, O. et al.
- Lavens, P., *see* Merchie, G. et al.
- Lawrence, A.L., *see* Fox, J.M. et al.
- LeaMaster, B.R., *see* Ostrowski-Meissner, H.T. et al.
- Leclerc, G., *see* Curry Woods, L. et al.
- Le Coguic, Y., *see* Hervio, D. et al.
- Le Delliou, H., *see* Arzel, J. et al.
- Lee, C.-S., *see* Watanabe, W.O. et al.
- Lee, C.-S., *see* Watanabe, W.O. et al.
- Leiro, J., *see* Toranzo, A.E. et al.
- Lenz, S.D., *see* Lumlertdacha, S. et al.
- Leong, J.C., *see* Hsu, Y.-L. et al.
- Li-Chan, E., *see* Fox, J.M. et al.
- Lightner, D.V., *see* Park, E.D. et al.
- Lin, C., *see* Kuo, C. et al.
- Lin, C.-Y., *see* Chen, J.-C. et al.
- Lin, H.R., Zhang, Q. and Peter, R.E.
 Effects of recombinant tuna growth hormone (GH) and analogs of gonadotropin-releasing
 hormone (GnRH) on growth of grass carp (*Ctenopharyngodon idellus*) 129 (1995) 342
- Lin, H.R., Lu, M., Lin, X.W., Zhang, W.M., Sun, Y. and Chen, L.X.
 Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth
 hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass
 carp (*Ctenopharyngodon idellus*) 135 (1995) 173
- Lin, X.W., *see* Lin, H.R. et al.
- Linde, A.R., *see* Garcia-Vazquez, E. et al.
- Linhart, O., *see* Billard, R. et al.

- Linhart, O., Kudo, S., Billard, R., Slechta, V. and Mikodina, E.V.
Morphology, composition and fertilization of carp eggs: a review 129 (1995) 75
- Linhart, O., Peter, R.E., Rothbard, S., Zohar, Y. and Kvasnička, P.
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of
GnRH analogues and injection of carp pituitary extract 129 (1995) 119
- Linhart, O., Flajšhans, M. and Kvasnička, P.
Gynogenesis of tench (*Tinca tinca* L.) after short-term storage of eggs 129 (1995) 136
- Linhart, O., Kvasnička, P., Flajšhans, M., Kasal, A., Ráb, P., Paleček, J., Šlechta, V., Hamáčková, J. and
Prokeš, M.
Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal .. 132 (1995) 239
- Linnane, A., see Wilkins, N.P. et al.
- Liska, J., see Gorda, S. et al.
- Lithgow, C.D., see Beal, B.F. et al.
- Liu, C.T., see Yu, J.Y.L. et al.
- Liu, F.G., see Yu, J.Y.L. et al.
- Liu, Q., see Goudie, C.A. et al.
- Liu, Q., see Goudie, C.A. et al.
- Lo, C.-F., see Kou, G.-H. et al.
- Lo, C.-F., Chi, S.-C., Tien, N.-Y., Yu, P.-J., Chou, C.-M., Chen, S.-N., Wang, C.-H. and Kou, G.-H.
The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during
serial undiluted passaging 132 (1995) 73
- Logan, S.H., Johnston, W.E. and Doroshov, S.I.
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe
for caviar 130 (1995) 299
- López-Albors, O., Gil, F., Ramírez-Zarzosa, G., Latorre, R., García-Alcázar, A., Abellán, E., Blanco, A.,
Vázquez, J.M. and Moreno, F.
Early muscle injuries in a standard reared stock of sea bass *Dicentrarchus labrax*, (L.) 138 (1995) 69
- Lou, D.C., see Southgate, P.C. et al.
- Lovell, R.T., see Chatakondi, N. et al.
- Lovell, R.T., see Kim, M.K. et al.
- Lovell, R.T., see Kim, M.K. et al.
- Lovell, R.T., see Lumlertdacha, S. et al.
- Lovell, R.T., see Paripatananont, T. et al.
- Loya-Javellana, G.N., Fielder, D.R. and Thorne, M.J.
Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater
crayfish, *Cherax quadricarinatus* 134 (1995) 295
- Lu, M., see Lin, H.R. et al.
- Lubián, L.M., see Pedro Cañavate, J. et al.
- Lubzens, E., Gibson, O., Zmora, O. and Sukenik, A.
Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus*
plicatilis) culture 133 (1995) 295
- Lumlertdacha, S., Lovell, R.T., Shelby, R.A., Lenz, S.D. and Kemppainen, B.W.
Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins
from *Fusarium moniliforme* 130 (1995) 201
- Lunestad, B.T., Samuelsen, O.B., Fjelde, S. and Ervik, A.
Photostability of eight antibacterial agents in seawater 134 (1995) 217
- Lupi, P., see Geri, G. et al.
- Lupi, P., see Geri, G. et al.
- Luque, A., see Castro, D. et al.
- Lussot, D., see Kiemer, M.C.B. et al.
- Machova, J., see Svobodova, Z. et al.
- Máchová, J., see Svobodová, Z. et al.
- Madon, S.P., see Qin, J. et al.
- Maes, P., see Castro, D. et al.

- Maffart, P., *see* Bris, H.L. et al.
- Magariños, B., *see* Noya, M. et al.
- Maguire, G.B., *see* Allan, G.L. et al.
- Maguire, G.B., *see* Allan, G.L. et al.
- Mai, K., Mercer, J.P. and Donlon, J.
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid .. 134 (1995) 65
- Mai, K., Mercer, J.P. and Donlon, J.
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth 136 (1995) 165
- Mair, G.C., Abucay, J.S., Beardmore, J.A. and Skibinski, D.O.F.
Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations 137 (1995) 313
- Maliczak, A., *see* Szumiec, M.A. et al.
- Malison, J.A., *see* Barry, T.P. et al.
- Malone, R.F., *see* Chen, S. et al.
- Manoj, Y.B., *see* Bhaskar, N. et al.
- Månsson, I., *see* Balebona, M.C. et al.
- Marcel, J., *see* Fauconneau, B. et al.
- Marchant, T.A., *see* Peter, R.E. et al.
- Marchetti, M., Tassinari, M. and Bauce, G.
Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss* 134 (1995) 137
- Márián, T., *see* Krasznai, Z. et al.
- Márián, T., *see* Krasznai, Z. et al.
- Marín, N., *see* Vélez, A. et al.
- Marin-Magan, V. and Cañavate, J.P.
Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae 134 (1995) 307
- Mariottini, G.L., *see* Carli, A. et al.
- Mark Lokman, P. and Young, G.
In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*) 135 (1995) 17
- Martínez, G., Caceres, L.A., Uribe, E. and Diaz, M.A.
Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck 132 (1995) 313
- Martini, A., *see* Geri, G. et al.
- Marty, G.D., Hinton, D.E. and Summerfelt, R.C.
Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation 138 (1995) 35
- Martínez-Manzanares, E., *see* Castro, D. et al.
- Massee, K.C., Rust, M.B., Hardy, R.W. and Stickney, R.R.
The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish 134 (1995) 351
- Mather, P.B., *see* Gu, H. et al.
- Matsubara, K., Arai, K. and Suzuki, R.
Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus* 131 (1995) 37
- Matsuoka, M.P., *see* Crandell, P.A. et al.
- Mayersohn, M., *see* Park, E.D. et al.
- Mazurié, J., *see* Hervio, D. et al.
- McAdam, S.P., *see* Nell, J.A. et al.

- McAndrew, B.J., *see* Hussain, M.G. et al.
- McAndrew, B.J., *see* Pongthana, N. et al.
- McBride, J.R., *see* Teskeredžić, Z. et al.
- McConnell, S., Hamilton, L., Morris, D., Cook, D., Paquet, D., Bentzen, P. and Wright, J.
Isolation of salmonid microsatellite loci and their application to the population genetics of
Canadian east coast stocks of Atlantic salmon 137 (1995) 19
- McCormick, S.D., *see* Young, G. et al.
- McEvoy, L.A., Navarro, J.C., Bell, J.G. and Sargent, J.R.
Autoxidation of oil emulsions during the *Artemia* enrichment process 134 (1995) 101
- McGeachy, S.A., Benfey, T.J. and Friars, G.W.
Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick
aquaculture 137 (1995) 333
- McGoldrick, D.J., *see* Hedgecock, D. et al.
- McGregor, D., *see* Galvin, P. et al.
- McKeehen, J.D., *see* Schneegurt, M.A. et al.
- McLean, E., *see* Teskeredžić, E. et al.
- McLoughlin, M.F., *see* Wheatley, S.B. et al.
- McNiven, M.A., *see* Anderson, J.S. et al.
- Mecatti, M., *see* Geri, G. et al.
- Medina, A., *see* Mourente, G. et al.
- Meinertz, J.R., *see* Gingerich, W.H. et al.
- Mélard, C., *see* Desprez, D. et al.
- Melard, C.
Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed
Oreochromis aureus. I. Estrogen sex-reversal and production of F2 pseudofemales 130 (1995) 25
- Menzies, F.D., *see* Wheatley, S.B. et al.
- Mercer, J.P., *see* Mai, K. et al.
- Mercer, J.P., *see* Mai, K. et al.
- Mercer, J.P., *see* Mgaya, Y.D. et al.
- Mercer, J.P., *see* Mgaya, Y.D. et al.
- Merchie, G., Lavens, P., Dhert, Ph., Dehasque, M., Nelis, H., De Leenheer, A. and Sorgeloos, P.
Variation of ascorbic acid content in different live food organisms 134 (1995) 325
- Merican, Z.O. and Shim, K.F.
Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus*
monodon 133 (1995) 275
- Mesa, K.A., *see* Herbinger, C.M. et al.
- Métailler, R., *see* Arzel, J. et al.
- Metaxa, I., *see* Bogatu, D. et al.
- Metcalf, N.B., *see* Smith, I.P. et al.
- Mgaya, Y.D., Gosling, E.M., Mercer, J.P. and Donlon, J.
Genetic variation at three polymorphic loci in wild and hatchery stocks of the abalone,
Haliotis tuberculata Linnaeus 136 (1995) 71
- Mgaya, Y.D. and Mercer, J.P.
The effects of size grading and stocking density on growth performance of juvenile
abalone, *Haliotis tuberculata* Linnaeus 136 (1995) 297
- Miah, M.J.U., *see* Stirling, H.P. et al.
- Mialhe, E., *see* Bachère, E. et al.
- Mialhe, E., *see* Gendreau, S. et al.
- Mialhe, E., *see* Hervio, D. et al.
- Mialhe, E., Bachère, E., Boulo, V. and Cadoret, J.P.
Strategy for research and international cooperation in marine invertebrate pathology,
immunology and genetics 132 (1995) 33
- Mikodina, E.V., *see* Linhart, O. et al.
- Milner, N., *see* Park, E.D. et al.

- Miwa, S., *see* Inui, Y. et al.
- Mizukami, Y., Okauchi, M., Kito, H., Ishimoto, S., Ishida, T. and Fuseya, M.
 Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata* 132 (1995) 361
- Mizuta, Y., *see* Arimoto, M. et al.
- Moav, B., Hinitz, Y., Groll, Y. and Rothbard, S.
 Inheritance of recombinant carp β -actin/GH cDNA gene in transgenic carp 137 (1995) 179
- Moberg, G.P., Watson, J.G., Doroshov, S., Papkoff, H. and Pavlick, Jr., R.J.
 Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus* 135 (1995) 27
- Moir, J., *see* Clark, D.S. et al.
- Molares, J. and Fuentes, J.
 Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain) 138 (1995) 131
- Molina Grima, E., *see* Montaini, E. et al.
- Montaini, E., Chini Zittelli, G., Tredici, M.R., Molina Grima, E., Fernández Sevilla, J.M. and Sánchez Pérez, J.A.
 Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile 134 (1995) 81
- Montero, D., *see* Robaina, L. et al.
- Morales, Y., *see* Riquelme, C. et al.
- Moran, P., *see* Garcia-Vazquez, E. et al.
- Moreno, F., *see* López-Albors, O. et al.
- Moriarty, D.J.W., *see* Allan, G.L. et al.
- Moriñigo, M.A., *see* Balebona, M.C. et al.
- Moriwake, A., *see* Watanabe, W.O. et al.
- Morris, D., *see* McConnell, S. et al.
- Morris, D.B., *see* Herbinger, C.M. et al.
- Morrison, C.M., *see* Bruno, D.W. et al.
- Morvan, A., *see* Bachère, E. et al.
- Moss, S.M.
 Production of growth-enhancing particles in a plastic-lined shrimp pond 132 (1995) 253
- Mourente, G., Medina, A., González, S. and Rodríguez, A.
 Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus* 130 (1995) 187
- Moyano, F.J., *see* Robaina, L. et al.
- Mozes, N., *see* Avnimelech, Y. et al.
- Müller-Belecke, A. and Hörstgen-Schwark, G.
 Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring 137 (1995) 57
- Muñoz, C., *see* Sáez-Royuela, M. et al.
- Munro, A.D., *see* Sampath-Kumar, R. et al.
- Myers, J.M., *see* Hussain, M.G. et al.
- Naas, K.E., *see* Næss, T. et al.
- Næss, T., Germain-Henry, M. and Naas, K.E.
 First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton 130 (1995) 235
- Nagahama, Y., *see* Nakamura, M. et al.
- Nagasawa, H., *see* Yang, W. et al.
- Nakamura, M. and Nagahama, Y.
 Innervation of testes in the tilapia *Oreochromis niloticus* 135 (1995) 41
- Nam, Y.K., *see* Kim, D.S. et al.
- Navarro, J.C., *see* McEvoy, L.A. et al.
- Navas, J.I., *see* Rodríguez, F. et al.
- Nelis, H., *see* Merchie, G. et al.

- Nell, J.A., *see* Smith, I.R. et al.
- Nell, J.A., O'Connor, W.A., Hand, R.E. and McAdam, S.P.
Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture 130 (1995) 389
- Newbury, P.F., Culverhouse, P.F. and Pilgrim, D.A.
Automatic fish population counting by artificial neural network 133 (1995) 45
- Neyfakh, A.A., *see* Grunina, A.S. et al.
- Nezami-Balouchi, S.A., *see* Esteky, A.A. et al.
- NicGabhainn, S., *see* Kerry, J. et al.
- Nijhof, M.
Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems 134 (1995) 49
- Nilssen, K.J., *see* Olsen, Y.A. et al.
- Nishida, H., *see* Tanaka, M. et al.
- Nishioka, R.S., *see* Siharath, K. et al.
- Noël, D., *see* Bachère, E. et al.
- Normant, Y., *see* Suquet, M. et al.
- Noso, T., *see* Cavari, B. et al.
- Novac, C., *see* Bogatu, D. et al.
- Novoa, B., Rivas, C., Toranzo, A.E. and Figueras, A.
Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV 130 (1995) 7
- Novoa, B., Barja, J.L. and Figueras, A.
Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*) 131 (1995) 1
- Noya, M., Magariños, B. and Lamas, J.
Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study 131 (1995) 11
- Numachi, K., *see* Saitoh, K. et al.
- O'Beirn, F.X., Heffernan, P.B. and Walker, R.L.
Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia 136 (1995) 231
- Oberle, M., *see* Schwarz, F.J. et al.
- O'Brien, C., *see* Kapetanaki, M. et al.
- O'Connor, W.A., *see* Heasman, M.P. et al.
- O'Connor, W.A., *see* Nell, J.A. et al.
- O'Connor, W.A. and Heasman, M.P.
Spawning induction and fertilisation in the doughboy scallop *Chlamys (Mimachlamys) asperrima* 136 (1995) 117
- O'Flynn, F.M., *see* Friars, G.W. et al.
- Ogier de Baulny, M., *see* Quentel, C. et al.
- Ojolick, E.J., Cusack, R., Benfey, T.J. and Kerr, S.R.
Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature 131 (1995) 177
- Okamoto, N., *see* Kurata, O. et al.
- Okamoto, N.
Health: Chairperson's Summary 129 (1995) 441
- Okauchi, M., *see* Mizukami, Y. et al.
- Okumuş, İ., *see* Stirling, H.P. et al.
- Oláh, J., *see* Esteky, A.A. et al.
- Oláh, J., *see* Esteky, A.A. et al.
- Olsen, J.E., *see* Dalsgaard, A. et al.
- Olsen, Y.A., Einarsdottir, I.E. and Nilssen, K.J.
Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress 134 (1995) 155

- Omondi, J.G. and Stark, J.R.
 Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae) 134 (1995) 121
- Ongerth, J.E., *see* Pascho, R.J. et al.
- Opačak, A., *see* Bogut, I. et al.
- Oprea, L., *see* Bogatu, D. et al.
- Orbán, L., *see* Horváth, L. et al.
- Ostrensky, A. and Wasielesky Jr., W.
 Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967 132 (1995) 339
- Ostrowski-Meissner, H.T., LeaMaster, B.R., Duerr, E.O. and Walsh, W.A.
 Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B₁ 131 (1995) 155
- Otémé, Z.J., *see* Agnèse, J.-F. et al.
- Ouellette, D., *see* Beal, B.F. et al.
- Palacios, P., *see* Sievers, G. et al.
- Paleček, J., *see* Linhart, O. et al.
- Palmisano, A.N., *see* Elliott, D.G. et al.
- Pandian, T.J., *see* George, T. et al.
- Pandian, T.J. and Sheela, S.G.
 Hormonal induction of sex reversal in fish 138 (1995) 1
- Pane, L., *see* Carli, A. et al.
- Papkoff, H., *see* Moberg, G.P. et al.
- Papp, Zs., *see* Jeney, Zs. et al.
- Paquet, D., *see* Herbinger, C.M. et al.
- Paquet, D., *see* McConnell, S. et al.
- Paripatananont, T. and Lovell, R.T.
 Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus* . 133 (1995) 73
- Parisi, G., *see* Geri, G. et al.
- Parisi, G., *see* Geri, G. et al.
- Park, D.L., *see* Park, E.D. et al.
- Park, E.D., Lightner, D.V., Milner, N., Mayersohn, M., Park, D.I., Gifford, J.M. and Bell, T.A.
 Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei* 130 (1995) 113
- Park, I.-S., *see* Kim, D.S. et al.
- Pascho, R.J., *see* Elliott, D.G. et al.
- Pascho, R.J., Landolt, M.L. and Ongerth, J.E.
 Inactivation of *Renibacterium salmoninarum* by free chlorine 131 (1995) 165
- Pascual, E., *see* Yúfera, M. et al.
- Pascual, M.S. and Zampatti, E.A.
 Evidence of a chemically mediated adult-larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production 133 (1995) 33
- Pavlick, Jr., R.J., *see* Moberg, G.P. et al.
- Pearce, M.G., *see* Barlow, C.G. et al.
- Pedro Cañavate, J. and Lubián, L.M.
 Some aspects on the cryopreservation of microalgae used as food for marine species 136 (1995) 277
- Peek, A.S., *see* Thorgaard, G.H. et al.
- Pekár, F., *see* Esteky, A.A. et al.
- Pekár, F., *see* Esteky, A.A. et al.
- Pendas, A.M., *see* Garcia-Vazquez, E. et al.
- Peng, H.K., *see* Yu, J.Y.L. et al.
- Penman, D.J., *see* Hussain, M.G. et al.
- Penman, D.J., *see* Pongthana, N. et al.
- Perchec, G., *see* Billard, R. et al.
- Perchec, G., Cosson, J., André, F. and Billard, R.

- Degradation of the quality of carp sperm by urine contamination during stripping 129 (1995) 137
- Peretz, Y., *see* Cherfas, N.B. et al.
- Peretz, Y., *see* Gomelsky, B.I. et al.
- Person-Le Ruyet, J., Chartois, H. and Quemener, L.
- Comparative acute ammonia toxicity in marine fish and plasma ammonia response 136 (1995) 181
- Peter, R.E., *see* Lin, H.R. et al.
- Peter, R.E., *see* Linhart, O. et al.
- Peter, R.E. and Marchant, T.A.
- The endocrinology of growth in carp and related species 129 (1995) 299
- Petitjean, M., *see* Csengeri, I. et al.
- Petitjean, M. and Csengeri, I.
- Microencapsulation of hydrosoluble additives to artificial diets for cyprinid larvae to avoid leaching 129 (1995) 255
- Philippart, J.C., *see* Desprez, D. et al.
- Piacka, V., *see* Svobodova, Z. et al.
- Pickering, T.D., Gordon, M.E. and Tong, L.J.
- A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta) 130 (1995) 43
- Piferrer, F., *see* Blázquez, M. et al.
- Pilarczyk, A.
- Changes in specific carp immune reaction caused by addition of fish oil to pellets 129 (1995) 425
- Pilgrim, D.A., *see* Newbury, P.F. et al.
- Pitman, E.R., *see* Herbing, C.M. et al.
- Poleksić, V.D., *see* Tutundžić, V.V. et al.
- Poli, B.M., *see* Geri, G. et al.
- Poli, B.M., *see* Geri, G. et al.
- Polo, A., *see* Sarasquete, M.C. et al.
- Pongthana, N., Penman, D.J., Karnasuta, J. and McAndrew, B.J.
- Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety 135 (1995) 267
- Pontifex, T., *see* Rowland, S.J. et al.
- Ponza, S., *see* Eves, A. et al.
- Ponzetta, M.P., *see* Geri, G. et al.
- Pou, M.N., *see* Cerdà, J. et al.
- Powers, D.A., *see* Chatakondi, N. et al.
- Prayitno, S.B. and Latchford, J.W.
- Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity 132 (1995) 105
- Procarione, L.S., *see* Barry, T.P. et al.
- Prodöhl, P.A., Taggart, J.B. and Ferguson, A.
- A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture 137 (1995) 87
- Prokeš, M., *see* Linhart, O. et al.
- Puckhaber, B., *see* Brämick, U. et al.
- Pursell, L., *see* Hiney, M.P. et al.
- Pursell, L., Samuelson, O.B. and Smith, P.
- Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water 135 (1995) 245
- Purser, G.J., *see* Hart, P.R. et al.
- Qin, J., Madon, S.P. and Culver, D.A.
- Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture 130 (1995) 51
- Quemener, L., *see* Person-Le Ruyet, J. et al.
- Quentel, C. and Ogier de Baulny, M.

- Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis 132 (1995) 125
- Ráb, P., *see* Linhart, O. et al.
- Radünz-Neto, J., *see* Geurden, I. et al.
- Raghunath, B.S., *see* Bhaskar, N. et al.
- Rahman, M.A., Bhadra, A., Begum, N., Islam, M.S. and Hussain, M.G.
 Production of hybrid vigor through cross breeding between *Clarias batrachus* Lin. and
Clarias gariepinus Bur. 138 (1995) 125
- Ramasamy, P., Brennan, G.P. and Jayakumar, R.
 A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in
 Madras, India 130 (1995) 129
- Ramírez-Zarzosa, G., *see* López-Albors, O. et al.
- Randall, C.F., *see* Hussain, M.G. et al.
- Rao, G.P.S., *see* Hussain, M.G. et al.
- Recoubratsky, A.V., *see* Cherfas, N.B. et al.
- Reddy, G.V.S., *see* Bhaskar, N. et al.
- Reed, Jr., E.B., *see* Webster, C.D. et al.
- Reigh, R.C., *see* Andrew Sullivan and Reigh
- Rema, P., *see* Gomes, E.F. et al.
- Reno, P., *see* Schreck, C.B. et al.
- Renshaw, S., *see* Beal, B.F. et al.
- Reyes-Sosa, C.F. and Castellanos-Molina, R.
 Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile
 tilapia, *Oreochromis niloticus* 138 (1995) 323
- Riaza, A., *see* Toranzo, A.E. et al.
- Ribble, C.S., *see* Stephen, C. et al.
- Richter, C.J.J., *see* Bongers, A.B.J. et al.
- Rigas, P., *see* Touraki, M. et al.
- Rijn, J.v., *see* Aboutboul, Y. et al.
- Rijn, J.v., Fonarev, N. and Berkowitz, B.
 Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of
 volatile fatty acids 133 (1995) 9
- Riquelme, C., Hayashida, G., Vergara, N., Vasquez, A., Morales, Y. and Chavez, P.
 Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile 138 (1995) 49
- Rivas, C., *see* Novoa, B. et al.
- Robaina, L., *see* Fernández-Palacios, H. et al.
- Robaina, L., Izquierdo, M.S., Moyano, F.J., Socorro, J., Vergara, J.M., Montero, D. and Fernández-
 Palacios, H.
 Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus*
aurata): nutritional and histological implications 130 (1995) 219
- Robledo, J.A.F., *see* Cáceres-Martínez, J. et al.
- Robledo, J.A.F., Santarém, M.M., González, P. and Figueras, A.
 Seasonal variations in the biochemical composition of the serum of *Mytilus*
galloprovincialis Lmk. and its relationship to the reproductive cycle and parasitic load
 133 (1995) 311
- Rodgers, L.J., *see* Barlow, C.G. et al.
- Rodríguez, A., *see* Mourente, G. et al.
- Rodríguez, E.M., *see* Bombeo-Tuburan, I. et al.
- Rodríguez, J., *see* Bachère, E. et al.
- Rodríguez-Gutiérrez, M. and Esquivel-Herrera, A.
 Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp
 (*Cyprinus carpio*) 129 (1995) 431
- Rodríguez, F. and Navas, J.I.
 A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus*
atlanticus (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and
Ruditapes philippinarum (Adams et Reeve) 132 (1995) 145

- Romalde, J.L., *see* Toranzo, A.E. et al.
 Romero, B.A., *see* Ibarra, A.M. et al.
 Romestand, B., *see* Bourmaud, C.A.-F. et al.
 Ron, B., Shimoda, S.K., Iwama, G.K. and Gordon Grau, E.
 Relationships among ration, salinity, 17 α -methyltestosterone and growth in the euryhaline
 tilapia, *Oreochromis mossambicus* 135 (1995) 185
 Roos, N. and Eriksen, J.R.
 Sediment respiration and denitrification in integrated carp polyculture 129 (1995) 393
 Roper, J., Grayson, T.H., Jenkins, P.G., Hone, J.V., Wrathmell, A.B., Russell, P.M. and Harris, J.E.
 The immunocytochemical localisation of potential candidate vaccine antigens from the
 salmon louse *Lepeophtheirus salmonis* (Kroyer 1837) 132 (1995) 221
 Rosas, C., *see* Gallardo, P.P. et al.
 Ross, D.A., *see* Wagner, E.J. et al.
 Rothbard, S., *see* Linhart, O. et al.
 Rothbard, S., *see* Moav, B. et al.
 Routledge, D., *see* Wagner, E.J. et al.
 Rowland, S.J., Allan, G.L., Hollis, M. and Pontifex, T.
 Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two
 densities in earthen ponds 130 (1995) 317
 Russell, P.M., *see* Roper, J. et al.
 Rust, M.B., *see* Massee, K.C. et al.
 Rutan, B.J., *see* Faisal, M. et al.
 Saeed, M.O.
 Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait 136 (1995) 21
 Sáez-Royuela, M., Carral, J.M., Celada, J.D. and Muñoz, C.
 Effects of management on survival and growth of Stage 2 juvenile freshwater signal
 crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions 133 (1995) 123
 Safner, R., *see* Aničić, I. et al.
 Sağlam, N., *see* Sarieyyüpoğlu, M. et al.
 Sagristà, E., Durfort, M. and Azevedo, C.
 Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*:
 ultrastructural observations of the cellular response of the host 132 (1995) 153
 Saha, P.R., *see* Schneegurt, M.A. et al.
 Saitoh, K., Tanaka, M., Ueshima, R., Kamaishi, T., Kobayashi, T. and Numachi, K.
 Preliminary data on restriction mapping and detection of length variation in Japanese
 flounder mitochondrial DNA 136 (1995) 109
 Sakai, M., Terutoyo, ., Yoshida, . and Kobayashi, M.
 Influence of the immunostimulant, EF203, on the immune responses of rainbow trout,
 Oncorhynchus mykiss, to *Renibacterium salmoninarum* 138 (1995) 61
 Sakamoto, T., *see* Varnavsky, V.S. et al.
 Salhi, M., *see* Fernández-Palacios, H. et al.
 Sami-Demmerle, S., *see* Faisal, M. et al.
 Sampath-Kumar, R., Byers, R.E., Munro, A.D. and Lam, T.J.
 Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer* 132 (1995) 349
 Samuelsen, O.B., *see* Hiney, M.P. et al.
 Samuelsen, O.B., *see* Lunestad, B.T. et al.
 Samuelsen, O.B., *see* Pursell, L. et al.
 Sánchez Pérez, J.A., *see* Montaini, E. et al.
 Sanhueza, M.A., *see* Toro, J.E. et al.
 Sano, N., *see* Kurata, O. et al.
 Sano, T.
 Viruses and viral diseases of salmonids 132 (1995) 43
 Santamaría, J.A., *see* Castro, D. et al.
 Santarém, M.M., *see* Robledo, J.A.F. et al.

- Santos, M.J. and Eiras, J.C.
 A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by
Helicometra fasciata (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum*
 (Digenea: Hemiuridae) in Portugal 132 (1995) 175
- Sarasquete, M.C., Polo, A. and Yúfera, M.
 Histology and histochemistry of the development of the digestive system of larval gilthead
 seabream, *Sparus aurata* L. 130 (1995) 79
- Sargent, J.R., see McEvoy, L.A. et al.
- Sarıeyyüpoğlu, M. and Sağlam, N.
 Some external parasites on cyprinids in Keban Dam Lake 129 (1995) 438
- Sarroza, J.C., see Triño, A.T. et al.
- Sato, N., Kawazoe, I., Shiina, Y., Furukawa, K., Suzuki, Y. and Aida, K.
 A novel method of hormone administration for inducing gonadal maturation in fish 135 (1995) 51
- Saunders, R.L., see Duston, J. et al.
- Saxena, P.K., see Sehgal, G.K. et al.
- Scheer, B., see Wagner, E.J. et al.
- Scheerer, P.D., see Thorgaard, G.H. et al.
- Schneegurt, M.A., Arieli, B., McKeehen, J.D., Stephens, S.D., Suzanne Nielsen, S., Saha, P.R.,
 Trumbo, P.R. and Sherman, L.A.
 Compositional and toxicological evaluation of the diazotrophic cyanobacterium,
Cyanothece sp. strain ATCC 51142 134 (1995) 339
- Schreck, C.B., see Feist, G. et al.
- Schreck, C.B., see Slater, C.H. et al.
- Schreck, C.B., see Slater, C.H. et al.
- Schreck, C.B., Jonsson, L., Feist, G. and Reno, P.
 Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus*
tshawytscha, to transportation stress 135 (1995) 99
- Schreckenbach, K., see Knösche, R. et al.
- Schwarz, F.J., Oberle, M. and Kirchgessner, M.
 Nutrient content of zooplankton in carp ponds 129 (1995) 255
- Scott, T.M., see Hardy, R.W. et al.
- Scott Quackenbush, L., see Huberman, A. et al.
- Secombes, C.J., see Thompson, I. et al.
- Sedlacek, J.D., see Tidwell, J.H. et al.
- Seenappa, D. and Devaraj, K.V.
 Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and
 body carcass composition of fingerlings in *Catla catla* (Ham.) 129 (1995) 243
- Sehgal, G.K., Saxena, P.K. and Sehgal, H.S.
 Hormonal control of sex in common carp and its application to composite fish culture 129 (1995) 219
- Sehgal, H.S., see Sehgal, G.K. et al.
- Sehgal, H.S. and Toor, H.S.
 Effect of stocking density on ovarian maturation, offspring fitness and growth of common
 carp 129 (1995) 113
- Seikai, T., see Dedi, J. et al.
- Senior, W., see Vélez, A. et al.
- Senn, C.M., see Toro, J.E. et al.
- Setty, T.M.R., see Bhaskar, N. et al.
- Shahidi, F., see Srivastava, R.K. et al.
- Shaw, D.P., see Beal, B.F. et al.
- Shearer, K.D.
 The use of factorial modeling to determine the dietary requirements for essential elements
 in fishes 133 (1995) 57
- Sheela, S.G., see Pandian, T.J. et al.
- Shelbourn, J.E., see Appelbaum, S. et al.

- Shelby, R.A., *see* Lumlertdacha, S. et al.
- Shelton, W.L., Wanniasingham, V. and Hiott, A.E.
Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate 137 (1995) 203
- Shen, S.T., *see* Yu, J.Y.L. et al.
- Sheridan, A.K., *see* Smith, I.R. et al.
- Sherman, L.A., *see* Schneegurt, M.A. et al.
- Shiau, S.-Y. and Hsu, T.-S.
L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for
tilapia, *Oreochromis niloticus* × *O. aureus* 133 (1995) 147
- Shiau, S.-Y. and Chuang, J.-C.
Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus* 133 (1995) 249
- Shiina, Y., *see* Sato, N. et al.
- Shim, K.F., *see* Gunasekera, R.M. et al.
- Shim, K.F., *see* Merican, Z.O. et al.
- Shimoda, S.K., *see* Ron, B. et al.
- Siddiqui, A.Q. and Al-Harbi, A.H.
Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in
Saudi Arabia 138 (1995) 145
- Sievers, G., Palacios, P., Inostroza, R. and Dölz, H.
Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the
isopod parasite, *Ceratomyxa gaudichaudii* 134 (1995) 9
- Sigholt, T., Staurnes, M., Jakobsen, H.J. and Åsgård, T.
Effects of continuous light and short-day photoperiod on smolting, seawater survival and
growth in Atlantic salmon (*Salmo salar*) 130 (1995) 373
- Siharath, K., Nishioka, R.S. and Bern, H.A.
In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass,
Morone saxatilis 135 (1995) 195
- Simco, B.A., *see* Goudie, C.A. et al.
- Simco, B.A., *see* Goudie, C.A. et al.
- Simell, M., *see* Teskeredžić, Z. et al.
- Sin, Y.M., *see* Angka, S.L. et al.
- Sin, Y.M., *see* Lan, W.G. et al.
- Skibinski, D.O.F., *see* Mair, G.C. et al.
- Slater, C.H., Schreck, C.B. and Amend, D.F.
GnRH α injection accelerates final maturation and ovulation/spermiation of sockeye salmon
(*Oncorhynchus nerka*) in both fresh and salt water 130 (1995) 279
- Slater, C.H., Fitzpatrick, M.S. and Schreck, C.B.
Androgens and immunocompetence in salmonids: specific binding in and reduced
immunocompetence of salmonid lymphocytes exposed to natural and synthetic
androgens 136 (1995) 363
- Slechta, V., *see* Linhart, O. et al.
- Šlechta, V., *see* Linhart, O. et al.
- Slotved, H.-C., *see* Buchmann, K. et al.
- Smith, I.P., Metcalfe, N.B. and Huntingford, F.A.
The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo*
salar L.) in a marine net pen 130 (1995) 167
- Smith, I.R., Sheridan, A.K. and Nell, J.A.
Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis*
(Iredale and Roughley) selective breeding program 131 (1995) 189
- Smith, P., *see* Hiney, M.P. et al.
- Smith, P., *see* Kapetanaki, M. et al.
- Smith, P., *see* Kerry, J. et al.
- Smith, P., *see* Pursell, L. et al.
- Smoker, W.W., *see* Crandell, P.A. et al.

- Smith, P., *see* Pursell, L. et al.
- Smoker, W.W., *see* Crandell, P.A. et al.
- Socorro, J., *see* Robaina, L. et al.
- Solar, I.I., *see* Withler, R.E. et al.
- Sommer, A.-I., *see* Johansen, L.-H. et al.
- Sorgeloos, P., *see* Merchie, G. et al.
- Soto, C.G. and Burhanuddin, .
 Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*) 136 (1995) 149
- Soto, L.A., *see* Gallardo, P.P. et al.
- Soucy, P., *see* Guillou, A. et al.
- Southgate, P.C. and Lou, D.C.
 Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils 134 (1995) 91
- Spruell, P., *see* Thorgaard, G.H. et al.
- Srivastava, R.K., Brown, J.A. and Shahidi, F.
 Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*) 131 (1995) 115
- Stark, J.R., *see* Omondi, J.G. et al.
- Staurnes, M., *see* Sigholt, T. et al.
- Steffens, W. and Beveridge, M.C.M.
 Nutrition: Chairmen's Summary 129 (1995) 261
- Stéphan, G., Guillaume, J. and Lamour, F.
 Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids 130 (1995) 251
- Stephen, C. and Ribble, C.S.
 An evaluation of surface moribund salmon as indicators of seapen disease status 133 (1995) 1
- Stephens, S.D., *see* Schneegurt, M.A. et al.
- Stet, R.J.M., *see* Wiegertjes, G.F. et al.
- Stević, I., *see* Bogut, I. et al.
- Stickney, R.R., *see* Massee, K.C. et al.
- Stirling, H.P., Miah, M.J.U. and Blow, P.Q.C.
 Use of mesocosms in a greenhouse pond to evaluate manure treatments for carp 129 (1995) 394
- Stirling, H.P. and Okumuş, İ.
 Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs 134 (1995) 193
- Storebakken, T., *see* Hatlen, B. et al.
- Sudaryono, A., Hoxey, M.J., Kailis, S.G. and Evans, L.H.
 Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon* 134 (1995) 313
- Sukenik, A., *see* Lubzens, E. et al.
- Sumagaysay, N.S. and Borlongan, I.G.
 Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels 132 (1995) 273
- Sumantadinata, K.
 Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia 129 (1995) 205
- Summerfelt, R.C., *see* Marty, G.D. et al.
- Sumpter, J., *see* Kaushik, S.J. et al.
- Sun, B. and Fleeger, J.W.
 Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system 136 (1995) 313
- Sun, Y., *see* Lin, H.R. et al.
- Suquet, M., Billard, R., Cosson, J., Normant, Y. and Fauvel, C.
 Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact 133 (1995) 83

- Suzanne Nielsen, S., *see* Schneegurt, M.A. et al.
- Suzuki, R., *see* Arai, K. et al.
- Suzuki, R., *see* Matsubara, K. et al.
- Suzuki, Y., *see* Sato, N. et al.
- Suzumura, E., *see* Kurata, O. et al.
- Svobodova, Z., Vykusova, B., Machova, J. and Piacka, V.
 Evaluation of the content of pollutants in market carp from ponds of the Czech Republic ... 129 (1995) 342
- Svobodová, Z., Máchová, J. and Faina, R.
 Toxic gill necrosis in carp 129 (1995) 439
- Szabó, P., *see* Esteky, A.A. et al.
- Szerencsés, I., *see* Csizmadia, Cs. et al.
- Szumiec, M.A. and Maliczak, A.
 Validation of a model of 2-year-old carp growth 129 (1995) 337
- Szymacha, J., *see* Bieniarz, K. et al.
- Tagawa, M., *see* Tanaka, M. et al.
- Taggart, J.B., *see* Prodöhl, P.A. et al.
- Takeda, N., *see* Ijiri, S. et al.
- Takeuchi, T., *see* Dedi, J. et al.
- Tanaka, M., *see* Saitoh, K. et al.
- Tanaka, M., Tanangonan, J.B., Tagawa, M., De Jesus, E.G., Nishida, H., Isaka, M., Kimura, R. and Hirano, T.
 Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae 135 (1995) 111
- Tanangonan, J.B., *see* Tanaka, M. et al.
- Tandler, A., Anav, F.A. and Choshniak, I.
 The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae 135 (1995) 343
- Taniguchi, N., *see* Del Valle, G. et al.
- Tassinari, M., *see* Marchetti, M. et al.
- Terutoyo, ., *see* Sakai, M. et al.
- Teskeredžić, E., Tomec, M., Hacmanjek, M., McLean, E., Teskeredžić, Z. and Donaldson, E.
 Growth and body composition of common carp (*Cyprinus carpio* L.) maintained under aphagic thermal conditions: response to porcine somatotropin therapy 129 (1995) 343
- Teskeredžić, Z., *see* Brackett, J. et al.
- Teskeredžić, Z., *see* Teskeredžić, E. et al.
- Teskeredžić, Z., Higgs, D.A., Dosanjh, B.S., McBride, J.R., Hardy, R.W., Beames, R.M., Jones, J.D., Simell, M., Vaara, T. and Bridges, R.B.
 Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*) 131 (1995) 261
- Thavornnyutikarn, M., *see* Jarayabhand, P. et al.
- Thien, T.M. and Trong, T.D.
 Genetic resources of common carp in Vietnam 129 (1995) 216
- Thompson, I., Choubert, G., Houlihan, D.F. and Secombes, C.J.
 The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout 133 (1995) 91
- Thorgaard, G.H., *see* Galbreath, P.F. et al.
- Thorgaard, G.H., *see* Galbreath, P.F. et al.
- Thorgaard, G.H., *see* Young, W.P. et al.
- Thorgaard, G.H., Spruell, P., Wheeler, P.A., Scheerer, P.D., Peek, A.S., Valentine, J.J. and Hilton, B.
 Incidence of albinos as a monitor for induced triploidy in rainbow trout 137 (1995) 121
- Thorne, M.J., *see* Loya-Javellana, G.N. et al.
- Thrandur Björnsson, B., *see* Young, G. et al.
- Tidwell, J.H., *see* Webster, C.D. et al.
- Tidwell, J.H., *see* Webster, C.D. et al.

- Tidwell, J.H., Webster, C.D., Sedlacek, J.D., Weston, P.A., Knight, W.L., Hill Jr., S.J., D'Abramo, L.R., Daniels, W.H., Fuller, M.J. and Labrenty Montañez, J.
Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations 138 (1995) 169
- Tien, N.-Y., *see* Lo, C.-F. et al.
- Titareva, L.N., *see* Tsvetkova, L.I. et al.
- Tiu, L.G., *see* Webster, C.D. et al.
- Tiu, L.G., *see* Webster, C.D. et al.
- Tomec, M., *see* Teskeredžić, E. et al.
- Tong, L.J., *see* Pickering, T.D. et al.
- Tongdee, N., *see* Eves, A. et al.
- Toor, H.S., *see* Sehgal, H.S. et al.
- Toranzo, A.E., *see* Novoa, B. et al.
- Toranzo, A.E., Devesa, S., Romalde, J.L., Lamas, J., Riaz, A., Leiro, J. and Barja, J.L.
Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot 134 (1995) 17
- Toro, J.E., Sanhueza, M.A., Winter, J.E., Senn, C.M., Aguila, P. and Vergara, A.M.
Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile 136 (1995) 153
- Touraki, M., Rigas, P. and Kastritsis, C.
Liposome mediated delivery of water soluble antibiotics to the larvae of aquatic animals ... 136 (1995) 1
- Tredici, M.R., *see* Montaini, E. et al.
- Treer, T., *see* Aničić, I. et al.
- Triño, A.T. and Sarroza, J.C.
Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system 136 (1995) 323
- Trofimov, L., *see* Bogatu, D. et al.
- Trón, L., *see* Krasznai, Z. et al.
- Trón, L., *see* Krasznai, Z. et al.
- Trong, T.D., *see* Thien, T.M. et al.
- Trott, L., *see* Benzie, J.A.H. et al.
- Trott, L., *see* Benzie, J.A.H. et al.
- Trumbo, P.R., *see* Schneegurt, M.A. et al.
- Tsvetkova, L.I., Titareva, L.N., Kochetov, A.A. and Voronina, V.P.
Cryoresistance of common carp sperm 129 (1995) 138
- Tung, M.-C., *see* Hsu, Y.-L. et al.
- Turner, C., *see* Eves, A. et al.
- Tutundžić, V.V., Vidmanić, L.B. and Poleksić, V.D.
Effects of inflow water quality on living conditions in cyprinid fish ponds 129 (1995) 395
- Ueshima, R., *see* Saitoh, K. et al.
- Uribe, E., *see* Martínez, G. et al.
- Vaara, T., *see* Teskeredžić, Z. et al.
- Vachta, R., *see* Barth, T. et al.
- Valencia, A., *see* Fernández-Palacios, H. et al.
- Valentine, J.J., *see* Thorgaard, G.H. et al.
- Vallod, D.
Carp processing and market analysis: a case study in France 129 (1995) 476
- Vallot, D., *see* Fauconneau, B. et al.
- Valtonen, E.T., *see* Hietala, J. et al.
- Van Muiswinkel, W.B., *see* Wiegertjes, G.F. et al.
- Váradi, L., Hidas, A., Várkonyi, E. and Horváth, L.
Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchoniensis*) 129 (1995) 211
- Váradi, L.

- Equipment for the production and processing of carp 129 (1995) 443
- Varian, S.J.A., *see* Deady, S. et al.
- Várkonyi, E., *see* Váradi, L. et al.
- Varnavsky, V.S., Sakamoto, T. and Hirano, T.
Effects of premature seawater transfer and fasting on plasma growth hormone levels of
yearling coho salmon (*oncorhynchus kisutch*) parr 135 (1995) 141
- Vasquez, A., *see* Riquelme, C. et al.
- Vázquez, J.M., *see* López-Albors, O. et al.
- Vélez, A., Freitas, L., Himmelman, J.H., Senior, W. and Marín, N.
Growth of the tropical scallop, *Euvola (Pecten) ziczac*, in bottom and suspended culture in
the Golfo de Cariaco, Venezuela 136 (1995) 257
- Vergara, A.M., *see* Toro, J.E. et al.
- Vergara, J.M., *see* Fernández-Palacios, H. et al.
- Vergara, J.M., *see* Robaina, L. et al.
- Vergara, N., *see* Riquelme, C. et al.
- Vidmanić, L.B., *see* Tutundžić, V.V. et al.
- Vigneulle, M. and Baudin Laurencin, F.
Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating
cages in France 132 (1995) 121
- Villalba, A.
Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia
(N.W. Spain) 130 (1995) 269
- Voronina, V.P., *see* Tsvetkova, L.I. et al.
- Vuillemin, V., *see* Hervio, D. et al.
- Vykusova, B., *see* Svobodova, Z. et al.
- Wada, K.T., Komaru, A., Ichimura, Y. and Kurosaki, H.
Spawning peak occurs during winter in the Japanese subtropical population of the pearl
oyster, *Pinctada fucata fucata* (Gould, 1850) 133 (1995) 207
- Wagner, E.J., *see* Bosakowski, T. et al.
- Wagner, E.J., Ross, D.A., Routledge, D., Scheer, B. and Bosakowski, T.
Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered
raceways or demand fed 136 (1995) 131
- Walker, R.L., *see* O'Beirn, F.X. et al.
- Walsh, W.A., *see* Ostrowski-Meissner, H.T. et al.
- Walsh, W.A., *see* Wyban, J. et al.
- Wang, C.-H., *see* Kou, G.-H. et al.
- Wang, C.-H., *see* Lo, C.-F. et al.
- Wanniasingham, V., *see* Shelton, W.L. et al.
- Wasiolesky Jr., W., *see* Ostrensky, A. et al.
- Watanabe, T., *see* Dedi, J. et al.
- Watanabe, W.O., Lee, C.-S., Ellis, S.C. and Ellis, E.P.
Hatchery study of the effects of temperature on eggs and yolksac larvae of the Nassau
grouper *Epinephelus striatus* 136 (1995) 141
- Watanabe, W.O., Ellis, S.C., Ellis, E.P., Head, W.D., Kelley, C.D., Moriwake, A., Lee, C.-S. and
Bienfang, P.K.
Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by
hormone induction 138 (1995) 205
- Watson, J.G., *see* Moberg, G.P. et al.
- Webster, C.D., *see* Tidwell, J.H. et al.
- Webster, C.D., Tiu, L.G., Tidwell, J.H., Wyk, P.V. and Howerton, R.D.
Effects of dietary protein and lipid levels on growth and body composition of sunshine bass
(*Morone chrysops* × *M. saxatilis*) reared in cages 131 (1995) 291
- Webster, C.D., Tiu, L.G., Tidwell, J.H. and Reed, Jr., E.B.
Effects of feeding the repartitioning agent L644,969 on growth and body composition of
blue catfish, *Ictalurus furcatus*, fed diets containing two protein levels reared in cages . 134 (1995) 247

- Weete, J.D., *see* Chatakondi, N. et al.
- Wekell, J.C., *see* Hardy, R.W. et al.
- Wells, R.M.G. and Baldwin, J.
 A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals 134 (1995) 361
- Weng, C.F., *see* Yu, J.Y.L. et al.
- Weston, P.A., *see* Tidwell, J.H. et al.
- Wheatley, S.B., McLoughlin, M.F., Menzies, F.D. and Goodall, E.A.
 Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production 136 (1995) 195
- Wheeler, P.A., *see* Thorgaard, G.H. et al.
- Wheeler, P.A., *see* Young, W.P. et al.
- Wiegand, M.D.
 The goldfish (*Carassius auratus*) as a model system for the study of embryonic and larval lipid metabolism in cyprinid fish 129 (1995) 138
- Wiegertjes, G.F., Stet, R.J.M. and Van Muiswinkel, W.B.
 Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish 137 (1995) 257
- Wilkins, N.P., Gosling, E., Curatolo, A., Linnane, A., Jordan, C. and Courtney, H.P.
 Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids 137 (1995) 77
- Winter, J.E., *see* Toro, J.E. et al.
- Witeska, M., Jezierska, B. and Chaber, J.
 The influence of cadmium on common carp embryos and larvae 129 (1995) 129
- Withler, R.E., Beacham, T.D., Solar, I.I. and Donaldson, E.M.
 Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*) 136 (1995) 91
- Wolnicki, J. and Górny, W.
 Controlled rearing of ide (*Leuciscus idus* L.) larvae using live food and dry feed 129 (1995) 256
- Wolnicki, J. and Górny, W.
 Suitability of two commercial dry diets for intensive rearing of larval tench (*Tinca tinca* L.) under controlled conditions 129 (1995) 257
- Wolnicki, J. and Górny, W.
 Survival and growth of larval and juvenile barbel (*Barbus barbus* L.) reared under controlled conditions 129 (1995) 257
- Wolters, W.R. and Johnson, M.R.
 Analysis of a diallel cross to estimate effects of crossing on resistance to enteric septicemia in channel catfish, *Ictalurus punctatus* 137 (1995) 263
- Wong, M.K., *see* Lan, W.G. et al.
- Woo, N.Y.S. and Kelly, S.P.
 Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system 135 (1995) 229
- Woods III, L.C., *see* Harrell, R.M. et al.
- Wrathmell, A.B., *see* Roper, J. et al.
- Wright, J., *see* McConnell, S. et al.
- Wright, J.M., *see* Herbinger, C.M. et al.
- Wu, J., *see* Chen, S. et al.
- Wu, J.-L., *see* Hsu, Y.-L. et al.
- Wyban, J., Walsh, W.A. and Godin, D.M.
 Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*) 138 (1995) 267
- Wyk, P.V., *see* Webster, C.D. et al.
- Yakupitiyage, A., *see* Eves, A. et al.

- Yamano, K., *see* Inui, Y. et al.
- Yamauchi, K., *see* Ijiri, S. et al.
- Yamazaki, T., *see* Arimoto, M. et al.
- Yang, W., Aida, K. and Nagasawa, H.
 Amino acid sequences of a hyperglycaemic hormone and its related peptides from the
 Kuruma prawn, *Penaeus japonicus* 135 (1995) 205
- Yang, Y.-H., *see* Hsu, Y.-L. et al.
- Yao, Z. and Crim, L.W.
 Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal
 fertilization of eggs 130 (1995) 361
- Yaron, Z.
 Endocrine control of gametogenesis and spawning induction in the carp 129 (1995) 49
- Yeoh, C.-G., *see* Feist, G. et al.
- Yesaki, T.Y., *see* Devlin, R.H. et al.
- Yndestad, M., *see* Hektoen, H. et al.
- Yoshida, ., *see* Sakai, M. et al.
- Young, G., *see* Mark Lokman, P. et al.
- Young, G., McCormick, S.D., Thrandur Björnsson, B. and Bern, H.A.
 Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of
 yearling coho salmon at different developmental stages 136 (1995) 371
- Young, W.P., Wheeler, P.A. and Thorgaard, G.H.
 Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow
 trout 137 (1995) 67
- Yu, J.Y.L., Shen, S.T., Liu, C.T., Weng, C.F., Peng, H.K. and Liu, F.G.
 Comparative effects of avian and piscine gonadotrophins on gonadal steroidogenesis, and
 of avian and piscine pituitaries on induction of spermiation and ovulation in the loach
 and white silver carp 135 (1995) 59
- Yu, P.-J., *see* Lo, C.-F. et al.
- Yúfera, M., *see* Fernández-Díaz, C. et al.
- Yúfera, M., *see* Sarasquete, M.C. et al.
- Yúfera, M., Fernández-Díaz, C. and Pascual, E.
 Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules 134 (1995) 259
- Zampatti, E.A., *see* Pascual, M.S. et al.
- Zandieh Doulabi, B., *see* Bongers, A.B.J. et al.
- Zanuy, S., *see* Blázquez, M. et al.
- Zhang, Q., *see* Lin, H.R. et al.
- Zhang, W.M., *see* Lin, H.R. et al.
- Zmora, O., *see* Lubzens, E. et al.
- Zoccarato, I., Benatti, G., Calvi, S.L. and Bianchini, M.L.
 Use of pig manure as fertilizer with and without supplement feed in pond carp production
 in Northern Italy 129 (1995) 387
- Zohar, Y., *see* Linhart, O. et al.



Subject Index, Volumes 129–138

17 α ,20 β -Dihydroxy-4-pregnen-3-one

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Acanthopagrus cuvieri

Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait, 136 (1995) 21

Accommodation

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Acetylcholinesterase

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Acipenser transmontanus

Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Acute toxicity

Comparative acute ammonia toxicity in marine fish and plasma ammonia response, 136 (1995) 181

Aerators

Equipment for the production and processing of carp, 129 (1995) 443

Aeromonas hydrophila

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Aeromonas salmonicida

Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Aflatoxin B₁

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B₁, 131 (1995) 155

Air exposure

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Albinism

Incidence of albinos as a monitor for induced triploidy in rainbow trout, 137 (1995) 121

Alevin colour

Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Algae

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Effect of food supply on oyster spatfall, 131 (1995) 315

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference, 134 (1995) 279

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

All-female

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Allometry

Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Amino acids

Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*), 138 (1995) 291

Amino acid sequence

Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Ammonia

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967, 132 (1995) 339

Comparative acute ammonia toxicity in marine fish and plasma ammonia response, 136 (1995) 181

Anaerobic digestion

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Anaesthetic

Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*), 129 (1995) 431

Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve, 131 (1995) 231

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Androgenesis

Genome and gene manipulation in the common carp, 129 (1995) 157

Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids, 137 (1995) 131

Androgenetic clones

Maternal influence on development of androgenetic clones of common carp, *Cyprinus carpio* L., 137 (1995) 139

Androgens

The production of functional sex-reversed male rainbow trout with 17 α -methyltestosterone and 11 β -hydroxyandrostenedione, 131 (1995) 145

Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens, 136 (1995) 363

Anguilla anguilla

Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Anguilla dieffenbachii

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New

Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Anguilla japonica

A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Anion channel inhibitors

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Antibiotics

Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Liposome mediated delivery of water soluble antibiotics to the larvae of aquatic animals, 136 (1995) 1

Antibodies

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Anti-nutritional factors

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Apicomplexa

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Appetite

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Archaeology

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Arctic charr

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Argopecten circularis

Effects of inbreeding on growth and survival of self-fertilized catarina scallop larvae, *Argopecten circularis*, 134 (1995) 37

Argopecten purpuratus

Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313

Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile, 138 (1995) 49

Aristichthys nobilis

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Aromatase

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Artemia

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Artemia and zooplankton

First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Artemia franciscana

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Liposome mediated delivery of water soluble antibiotics to the larvae of aquatic animals, 136 (1995) 1

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Artificial insemination

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Artificial neural network

Automatic fish population counting by artificial neural network, 133 (1995) 45

Artificial selection

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Ascorbic acid

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Assimilation efficiency

Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313

Astaxanthin

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Asymmetry

Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout, 137 (1995) 67

Autoxidation

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Bacteria

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile, 138 (1995) 49

Bacteria - adhesion

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Bacterial kidney disease

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Baculoviral mid-gut gland necrosis virus (BMNV)

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Ballistic gene transfer

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Barbus conchoni

Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchoni*), 129 (1995) 211

Behaviour

Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens, 131 (1995) 49

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Beko disease of eel

A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Benthic macroinvertebrates

Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Benthos

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Bidyanus bidyanus

Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

Bioassay

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Biochemical composition

First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Biofilters

Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Biomass-mollusc

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Biotechnology

A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Birnaviridae

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Birnavirus

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

Bivalve

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Black pearls

Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia, 133 (1995) 113

Body composition

Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment, 129 (1995) 329

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Body traits

Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment, 129 (1995) 329

Bonamia

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Bonamia ostreae

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Bonamiasis

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Bone deformity

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

Bone zinc deposition

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Brachionus

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Brachionus plicatilis

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Brazil - Santa Catarina

Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Breeding programs

Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program, 131 (1995) 189

Breeding programs - prawn

RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Brook charr

Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Brown ring disease

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Cadmium

The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

Cages

Equipment for the production and processing of carp, 129 (1995) 443

Carassius auratus

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Carbohydrates

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 249

- Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287
- Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311
- Carbohydrate utilization**
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331
- Carbon / organic —degradation**
Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211
- Carotenoids**
The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91
- Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303
- Carp — hybrids**
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199
- Carp — landraces**
Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183
- Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193
- Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199
- Carp pituitary extract**
Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119
- Carp — strains**
Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199
- Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205
- Carrier condition**
In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91
- Catla catla**
Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187
- Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243
- Different systems of carp production and their impacts on the environment, 129 (1995) 347
- Caviar**
Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299
- C-band**
Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277
- Cell culture**
Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43
- Cell lines**
Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59
- Ceratothoa gaudichaudii**
Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopode parasite, *Ceratothoa gaudichaudii*, 134 (1995) 9
- Cereal grains**
Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287
- Chanos chanos**
Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Chemical attractants

Evidence of a chemically mediated adult-larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Chemosensory preference

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Cherax quadricarinatus

Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens), 134 (1995) 29

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat, 138 (1995) 239

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials, 138 (1995) 247

Chicken manure

Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Chile

Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

Chinook salmon

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Chlamys (Mimachlamys) asperima

Spawning induction and fertilisation in the doughboy scallop *Chlamys (Mimachlamys) asperima*, 136 (1995) 117

Chlorine

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Chromosome

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Chrysophrys major

Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Cirrhinus mrigala

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Clarias gariepinus

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Cleaner-fish

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Clearance rate

Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Clones

Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Cloning

Genome and gene manipulation in the common carp, 129 (1995) 157

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Closed systems

Equipment for the production and processing of carp, 129 (1995) 443

Clove oil

Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Cobble

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Colour aberrations

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Combined metals

Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Comparative nutrition

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Compensatory

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Complete diet

Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Computer simulation

Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Concrete

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Conditioning

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Control region

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Cooling rate

Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Cortisol

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Crassostrea gigas

Effect of food supply on oyster spatfall, 131 (1995) 315

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Crassostrea virginica

Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia, 136 (1995) 231

Crayfish

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Crenilabrus melops

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Crossbreeding

A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

Cross-hybridization

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Crustacea

Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Crustacean

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Knowledge and research prospects in marine mollusc and crustacean immunology, 132 (1995) 17

Cryopreservation

Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Ctenolabrus rupestris

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Ctenopharyngodon idella

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Ctenopharyngodon idellus

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp

(*Ctenopharyngodon idellus*), 135 (1995) 173

Culture methods

Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia, 136 (1995) 231

Culture methods — algae

A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta), 130 (1995) 43

Culture methods — crustaceans

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat, 138 (1995) 239

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials, 138 (1995) 247

Culture methods — fish

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Culture methods — molluscs

Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program, 131 (1995) 189

Cyanobacteria / human nutrition

Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142, 134 (1995) 339

Cyanothece

Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142, 134 (1995) 339

Cyclin B

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Cyprinidae

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Cyprinids

Equipment for the production and processing of carp, 129 (1995) 443

Cyprinids - general

Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Cyprinus carpio

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

Genome and gene manipulation in the common carp, 129 (1995) 157

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

Nutrient requirements, supply and utilization in the context of carp culture, 129 (1995) 225

Body traits and chemical composition of muscle in the common carp (*Cyprinus carpio* L.) as influenced by age and rearing environment, 129 (1995) 329

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Management of pond ecosystems and trophic webs, 129 (1995) 373

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*), 129 (1995) 431

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Maternal influence on development of androgenetic clones of common carp, *Cyprinus carpio* L., 137 (1995) 139

Inheritance of recombinant carp β -actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchoniensis*), 129 (1995) 211

Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate, 137 (1995) 203

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Cyprinus carpio var. *specularis*

Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight, 129 (1995) 323

Cytogenetics

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Cytokines

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Cytotoxicity

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Danube River

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Degradation rate constants

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Demand feeding

Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed, 136 (1995) 131

Denitrification

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Density

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density, 130 (1995) 145

Developing countries

A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Development

Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Diagnostic parameters

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Dicentrarchus labrax

Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17 α -methyltestosterone prior to sex differentiation, 135 (1995) 329

Early muscle injuries in a standard reared stock of sea bass *Dicentrarchus labrax*, (L.), 138 (1995) 69

Dichlorvos

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Dietary lipid

Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Dietary protein

Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

Dietary requirements

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

Dietary value

Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

Diets

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Digestibility

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Digestive gland enzymes

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Digestive tract

Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

17 α ,20 β -dihydroxy-4-pregnen-3-one

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Diploidy

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Disaccharides

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 249

Disc diffusion

Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Disease control

Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production, 136 (1995) 195

Disease resistance

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Diseases and their control - crustaceans

A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India, 130 (1995) 129

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Diseases and their control - fish

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Distribution and elimination of [^{14}C] sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland, 133 (1995) 341

Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopod parasite, *Ceratomyxa gaudichaudii*, 134 (1995) 9

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictalurus punctatus*, 134 (1995) 237

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation, 138 (1995) 35

Diseases and their control — molluscs

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation, 132 (1995) 195

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Diseases and their treatment—fish

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

Distribution

Distribution and elimination of [^{14}C] sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Divergent selection

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

DMSO

Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Docosahexaenoic

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Docosahexaenoic acid (DHA)

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Domestication

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Domoic acid

Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds, 131 (1995) 253

Dopamine

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

The endocrinology of growth in carp and related species, 129 (1995) 299

Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Dopaminergic receptor

Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Downstream migration

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Economics

Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Edwardsiella ictaluri

Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictalurus punctatus*, 134 (1995) 237

Effluents

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Egg / fish — composition

Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

Egg composition

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Eggs

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Eicosapentaenoic acid

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Eicosapentaenoic acid (EPA)

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Elimination

Distribution and elimination of [¹⁴C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Embryology

Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

Embryonic development

The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

Endocrine profiles

Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Endocrinology

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Energy

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Enrichment

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Enrichment emulsions

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Enteric septicemia

Analysis of a diallel cross to estimate effects of crossing on resistance to enteric septicemia in channel catfish, *Ictalurus punctatus*, 137 (1995) 263

***Enterococcus* sp.**

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Environment

Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

Environmental factors

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Environmental impact

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Enzymatic polymorphism

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Enzyme-linked immunosorbent assay (ELISA)

Brood stock segregation for the control of bacterial kidney disease can affect mortality of

progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Enzyme pH-activity profiles

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Enzymology

Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Epidemiology

Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production, 136 (1995) 195

Epinephelus striatus

Hatchery study of the effects of temperature on eggs and yolk sac larvae of the Nassau grouper *Epinephelus striatus*, 136 (1995) 141

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Epinephelus tauvina

Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait, 136 (1995) 21

Erythrocyte

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Essential elements

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

Estradiol

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Estuary

Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain), 138 (1995) 131

Evolution

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Extension work

Twenty years of cyprinid culture promotion in Santa Catarina, Brazil: an analysis of government initiatives, 129 (1995) 469

Extrusion processing

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Eyestalk ablation

Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards, 138 (1995) 181

Fats and fatty compounds

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon*, 133 (1995) 275

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Autoxidation of oil emulsions during the *Artemia* enrichment process, 134 (1995) 101

Fecundity

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Feeders

Equipment for the production and processing of carp, 129 (1995) 443

Feeding and nutrition — crustacean

Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system, 136 (1995) 323

Feeding and nutrition — crustaceans

Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Use of the golden apple snail, cassava, and maize as feeds for the tiger shrimp, *Penaeus monodon*, in ponds, 131 (1995) 91

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B₁, 131 (1995) 155

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources, 131 (1995) 279

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon*, 134 (1995) 313

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) II. Juvenile nutrition and habitat, 138 (1995) 239

Feeding and nutrition—crustaceans / digestibility

Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon*, 133 (1995) 275

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Feeding and nutrition – fish

Validation of a model of 2-year-old carp growth, 129 (1995) 337

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds, 131 (1995) 253

Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops* × *M. saxatilis*) reared in cages, 131 (1995) 291

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface

light avoidance and food attraction, 132 (1995) 285

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 147

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 249

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Feeding and nutrition — fish / digestibility

Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules, 134 (1995) 269

Feeding and nutrition — fish / disease resistance

Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictalurus punctatus*, 134 (1995) 237

Feeding and nutrition—fish / feed intake

Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Feeding and nutrition — fish / metabolism

Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

Effects of feeding the repartitioning agent L644,969 on growth and body composition of blue catfish, *Ictalurus furcatus*, fed diets containing two protein levels reared in cages, 134 (1995) 247

Feeding and nutrition — fish / nutrient utilization

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Feeding and nutrition — fish – behaviour

The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen, 130 (1995) 167

- Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens, 131 (1995) 49
- Feeding and nutrition-fish-diet composition**
Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331
- Feeding and nutrition — fish — feed composition**
Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, 130 (1995) 177
- Feeding and nutrition — fish — physiology**
Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251
- Feeding and nutrition — fish — protein sources**
Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219
- Feeding and nutrition — fish — rate**
Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273
- Feeding and nutrition—fish — reproduction**
Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325
- Feeding and nutrition — fish — utilisation**
Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243
- Feeding and nutrition—invertebrates**
Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida), 134 (1995) 113
- Feeding and nutrition—molluscs**
Effect of food supply on oyster spatfall, 131 (1995) 315

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference, 134 (1995) 279
- Feeding and nutrition — molluscs**
Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313
- Feeding and nutrition — pellet dimensions**
The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen, 130 (1995) 167
- Feeding level**
Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341
- Feeding rate**
Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329
- Feeding regimen**
Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285
- Feedstuffs**
Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313
- Fertilisation**
Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperima*, 136 (1995) 117
- Fertility**
Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37
- Fertilization**
Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Fertilization envelope

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Fertilizer

Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Fertilizing capacity

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Filter design

Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Filtration — fish

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Final oocyte maturation

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Fin erosion

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed, 136 (1995) 131

Fish

Automatic fish population counting by artificial neural network, 133 (1995) 45

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Fish and shellfish mariculture

Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system, 136 (1995) 313

Fish culture

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Fish culture effluents

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

Fish cytogenetics

Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Fish feed

Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media, 134 (1995) 227

Fish hybrids

Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Fish meal

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Fish-ponds

Management of pond ecosystems and trophic webs, 129 (1995) 373

Fitness

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Fixation

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Flesh quality

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Fluctuating asymmetry

Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids, 137 (1995) 77

Flumequine

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Fluorescent antibody technique (FAT)

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Foregut evacuation

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Fumonisin B₁

Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Fungi

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Furazolidone

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Furunculosis

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Fusarium moniliforme

Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Gadoids

A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

Gadus morhua

Activity and feeding behaviour of Atlantic cod (*Gadus morhua*) in sea pens, 131 (1995) 49

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Gametogenesis

Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850), 133 (1995) 207

Gametogenic cycle

Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain), 130 (1995) 269

Gastric fluid

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Gastric gland

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Genebank

Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Genetically modified organisms

A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish, 137 (1995) 9

Genetic diversity

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Genetic markers

RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Genetics

Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens), 134 (1995) 29

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Genetic variation

Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Genomic DNA

Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

GE-positive

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Gill

The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

Gizzerosine

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

GnRH

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

GnRH analog

GnRH α injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

GnRH analogs

Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

Gonad

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Gonadal development

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Gonadal morphogenesis

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17 α -methyltestosterone prior to sex differentiation, 135 (1995) 329

Gonadotrophins

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Gonadotropin-releasing hormone

The endocrinology of growth in carp and related species, 129 (1995) 299

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Gonads

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Gracilaria chilensis

A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta), 130 (1995) 43

Grass prawn

Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43

Growth

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch), 138 (1995) 159

Growth—crustacean

Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system, 136 (1995) 323

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B₁, 131 (1995) 155

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Juvenile growth performance among stocks and families of red claw crayfish, *Cherax quadricarinatus* (von Martens), 134 (1995) 29

Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards, 138 (1995) 181

Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*), 138 (1995) 267

Growth – fish

Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

Growth and meat quality relations in carp, 129 (1995) 265

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, 130 (1995) 177

Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops* × *M. saxatilis*) reared in cages, 131 (1995) 291

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based

farms. Evidence of a photoperiodic influence, 133 (1995) 235

The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years, 138 (1995) 281

Growth hormone

The endocrinology of growth in carp and related species, 129 (1995) 299

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173

Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Inheritance of recombinant carp β -actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Growth hormone receptors

The endocrinology of growth in carp and related species, 129 (1995) 299

Growth-hormone-releasing factor

The endocrinology of growth in carp and related species, 129 (1995) 299

Growth — molluscs

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation, 132 (1995) 195

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Effects of different feeding regimens on larval growth and the energy budget of juvenile Chilean

- scallops, *Argopecten purpuratus* Lamarck, 132 (1995) 313
- Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193
- Growth — molluses**
Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389
- Growth Rate**
Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate, 137 (1995) 203
- GTH-I**
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49
- GTH-II**
Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49
- Gut antigens**
The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837), 132 (1995) 221
- Gynogenesis**
Genome and gene manipulation in the common carp, 129 (1995) 157
- Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199
- Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37
- Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267
- Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57
- Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*), 137 (1995) 109
- Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257
- Gynogens**
Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185
- Gyprinus carpio**
Growth and meat quality relations in carp, 129 (1995) 265
- Haematology**
Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1
- Haematopoietic organs**
Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125
- Haemolymph**
Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311
- Haemolysis**
Some virulence characteristics of *Aeromonas hydrophila* in walking catfish (*Clarias gariepinus*), 130 (1995) 103
- Haliotis australis**
A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361
- Haliotis discus hannai**
Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65
- Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Haliotis iris

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Haliotis rubra

Digestive efficiency of the Australian abalone *Haliotis rubra* in relation to growth and feed preference, 134 (1995) 279

***Haliotis rubra*; Algae**

Growth, intake, feed conversion efficiency and chemosensory preference of the Australian abalone, *Haliotis rubra*, 132 (1995) 297

Haliotis tuberculata

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Handling

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Harpacticoid copepod culture

Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system, 136 (1995) 313

Harvesting equipment

Equipment for the production and processing of carp, 129 (1995) 443

Hatchery

Evidence of a chemically mediated adult-larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Hatchery production

Equipment for the production and processing of carp, 129 (1995) 443

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Health

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Helicometra fasciata

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Hemocytes

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Hepatocyte

Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Heterobranchus longifilis

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchus longifilis* Valenciennes 1840, 131 (1995) 197

Heteroplasmy

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Heterosis

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Hippoglossus hippoglossus

First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years, 138 (1995) 281

Histamine

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

Histology

Sensitivity of the Pacific white shrimp, *Penaeus vannamei*, to aflatoxin B₁, 131 (1995) 155

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

History

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Homozygous clones

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Hormone

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Hormone administration

A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Hormones

Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

HPLC

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg²⁺ and Ca²⁺ ions found in sea water, 135 (1995) 245

HUFA

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Husbandry

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Hybrid

Sexual maturation and fertility of diploid and triploid Atlantic salmon × brown trout hybrids, 137 (1995) 299

Hybridization

A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchoni*), 129 (1995) 211

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Hybrids

Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids, 137 (1995) 77

Hybrid striped bass

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Hydrogen sulphide

The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

20 β -Hydroxysteroid dehydrogenase

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Hyperglycaemia

Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161

Hyperglycaemic hormone

Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Hypo-osmotic shock

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Hypophthalmichthys molitrix

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Ictalurus furcatus

Effects of feeding the repartitioning agent L644,969 on growth and body composition of blue catfish, *Ictalurus furcatus*, fed diets containing two protein levels reared in cages, 134 (1995) 247

Ictalurus punctatus

Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Distribution and elimination of [¹⁴C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Effect of overwinter feeding regimen on body weight, body composition and resistance to

Edwardsiella ictaluri in channel catfish, *Ictalurus punctatus*, 134 (1995) 237

Effect of restricted feeding regimens on compensatory weight gain and body tissue changes in channel catfish *Ictalurus punctatus* in ponds, 135 (1995) 285

Analysis of a diallel cross to estimate effects of crossing on resistance to enteric septicemia in channel catfish, *Ictalurus punctatus*, 137 (1995) 263

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

IGF-binding proteins

In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis*, 135 (1995) 195

IGF receptors

The endocrinology of growth in carp and related species, 129 (1995) 299

IgM molecular weight

Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

IgM purification

Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

Immune responsiveness

Divergent selection for antibody production to produce standard carp (*Cyprinus carpio* L.) lines for the study of disease resistance in fish, 137 (1995) 257

Immunocompetence

Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens, 136 (1995) 363

Immunoglobulin

Isolation and partial characterization of IgM-like seabass (*Dicentrarchus labrax* L. 1758) immunoglobulins, 132 (1995) 53

Immunology

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Knowledge and research prospects in marine mollusc and crustacean immunology, 132 (1995) 17

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Immunostimulant

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Inbred lines

Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout, 137 (1995) 67

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Inbreeding

Effects of domestication on genetic variability, fertility, survival and growth rate in a tropical siluriform: *Heterobranchius longifilis* Valenciennes 1840, 131 (1995) 197

Effects of inbreeding on growth and survival of self-fertilized catarina scallop larvae, *Argopecten circularis*, 134 (1995) 37

Incubation

Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperima*, 136 (1995) 117

Indicator

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Indicator organisms

Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Indonesia

Present state of common carp (*Cyprinus carpio* L.) stocks in Indonesia, 129 (1995) 205

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Induced spawning

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Induced triploidy

Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions, 137 (1995) 343

Infection protocol

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Infectious pancreatic necrosis virus

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Inheritance

Inheritance of recombinant carp β -actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Innervation

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Insecticides

Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopod parasite, *Ceratothoa gaudichaudii*, 134 (1995) 9

Insemination

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Insulin-like growth factor

The endocrinology of growth in carp and related species, 129 (1995) 299

Intellectual property

A global perspective on the utilization of genetically modified organisms in aquaculture and fisheries, 137 (1995) 1

Internal

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Interrenal

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Interspecific

Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103

Intracellular pH

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Introgressive hybridization

Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

Invertebrates

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

Investigation

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

In vitro steroidogenesis

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New

Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Isolation

Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Japanese eel

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Juvenile survival and growth

Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions, 133 (1995) 123

Karyology

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Karyotype

Interesting phenomena in hybridization of carp (*Cyprinus carpio*) and rosy barb (*Barbus conchoniensis*), 129 (1995) 211

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

11-Ketotestosterone

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Kuruma prawn

Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205

Labeo fimbriatus

Comparative growth of reciprocal carp hybrids between *Catla catla* and *Labeo fimbriatus*, 129 (1995) 187

Labeo rohita

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331

Labile period

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α -methyltestosterone prior to sex differentiation, 135 (1995) 329

Laboratory management

Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions, 133 (1995) 123

Land-based farms

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Larva

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

The influence of cadmium on common carp embryos and larvae, 129 (1995) 129

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Larvae – development

Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187

Larval

Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Larval and spat survival

Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Larval development

Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

Larval fish

Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Larval fish culture

Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Larval rearing

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Larval rearing — fish

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Larval settlement

Evidence of a chemically mediated adult–larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Larval survival

Bacteriology of the scallop *Argopecten purpuratus* (Lamarck, 1819) cultured in Chile, 138 (1995) 49

Larviculture

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Lates calcarifer

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch), 138 (1995) 159

Lecithochirium furcolabiatum

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Leiostomus xanthurus

Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Lepeophtheirus salmonis

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837), 132 (1995) 221

Leucocytes

In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Leydig cell

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Life history

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Light

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Lipid

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. III. Response of abalone to various levels of dietary lipid, 134 (1995) 65

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Lipid metabolism

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects,

cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Lipoid liver

Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Lipophilized gelatin

A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Lipophrys pholis

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opecoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Live food

Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239

Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida), 134 (1995) 113

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Liver

Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

Loma salmonae

The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland, 133 (1995) 341

Long-term culture

Development of continuous liver cell cultures from the marine teleost, spot (*Leiostomus xanthurus*, Pisces: Sciaenidae), 132 (1995) 59

Long-term preservation

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Luciferase gene

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Lupin meal

Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Lysine

Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources, 131 (1995) 279

Macrobrachium rosenbergii

Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Social control of growth in *Macrobrachium rosenbergii*. V. The effect of unilateral eyestalk ablation on jumpers and laggards, 138 (1995) 181

Macrozoarces americanus

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Magnesium

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Marine fish

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Marine fish juveniles

Comparative acute ammonia toxicity in marine fish and plasma ammonia response, 136 (1995) 181

Marker assisted selection

Heterogeneity in the body size of Ontario cultured rainbow trout with different mitochondrial DNA haplotypes, 137 (1995) 231

Masculinization

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17α -methyltestosterone prior to sex differentiation, 135 (1995) 329

Maternal lineage

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Maturation

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Economics of joint production of sturgeon (*Acipenser transmontanus* Richardson) and roe for caviar, 130 (1995) 299

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Maturation-inducing factor

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Meat quality

Growth and meat quality relations in carp, 129 (1995) 265

Mechanisation

Equipment for the production and processing of carp, 129 (1995) 443

Meiobenthos

Sustained mass culture of *Amphiascoides atopus* a marine harpacticoid copepod in a recirculating system, 136 (1995) 313

Meiosis

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Meiotic gynogenesis

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Meretrix lusoria

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Merlangius merlangus

A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

Metamorphosis

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

17 α -Methyltestosterone

Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17 α -methyltestosterone prior to sex differentiation, 135 (1995) 329

Metoclopramide

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Metomidate

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Microalgae

Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Microbiological quality

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Microbiology

Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Microcapsules

Improving the *n*-3 HUFA composition of *Artemia* using microcapsules containing marine oils, 134 (1995) 91

Microencapsulated food

Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules, 134 (1995) 269

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Micropyle

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Microsatellite markers

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Microspora

A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Migratory behavior

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Minisatellite DNA

A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Misgurnus anguillicaudatus

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids, 137 (1995) 131

Misgurnus mizolepis

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Modeling

The use of factorial modeling to determine the dietary requirements for essential elements in fishes, 133 (1995) 57

Molluscs

Knowledge and research prospects in marine mollusc and crustacean immunology, 132 (1995) 17

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Molting

Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Monodon baculovirus

A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India, 130 (1995) 129

Monosex culture

Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Moribundity

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

Morone chrysops* × *M. saxatilis

Effects of dietary protein and lipid levels on growth and body composition of sunshine bass (*Morone chrysops* × *M. saxatilis*) reared in cages, 131 (1995) 291

Morone saxatilis

The duration of the interval associated with successful inflation of the swimbladder in larval striped bass (*Morone saxatilis*), 131 (1995) 135

Comparative fatty acid composition of eggs from domesticated and wild striped bass (*Morone saxatilis*), 133 (1995) 225

In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis*, 135 (1995) 195

Evidence for genetic purity of captive and domestic striped bass broodstocks, 137 (1995) 41

***Morone* spp.**

Apparent digestibility of selected feedstuffs in diets for hybrid striped bass (*Morone saxatilis* ♀ × *Morone chrysops* ♂), 138 (1995) 313

Morphological abnormalities

Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Morphological traits

Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight, 129 (1995) 323

Morphometry

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Mortality

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Motility

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Multiple low-level resistance

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg²⁺ and Ca²⁺ ions found in sea water, 135 (1995) 245

Multiple resistance

Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony

formation on oxytetracycline-containing media, 134 (1995) 227

Muscle

Morphological characteristics and chemical composition of muscle in the mirror carp (*Cyprinus carpio* var. *specularis*) as influenced by body weight, 129 (1995) 323

Early muscle injuries in a standard reared stock of sea bass *Dicentrarchus labrax*, (L.), 138 (1995) 69

Muscle fatty acids

Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Mya arenaria

Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density, 130 (1995) 145

Mycotoxins in feeds

Growth, hematology, and histopathology of channel catfish, *Ictalurus punctatus*, fed toxins from *Fusarium moniliforme*, 130 (1995) 201

Mytilus edulis

Growth and production of raft-cultured *Mytilus edulis* L., in Ria de Aveiro: gonad symbiotic infestation, 132 (1995) 195

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Mytilus galloprovincialis

Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain), 130 (1995) 269

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain), 138 (1995) 131

Nannochloropsis / frozen

Potential advantages of frozen algae (*Nannochloropsis* sp.) for rotifer (*Brachionus plicatilis*) culture, 133 (1995) 295

Natural spawning migration

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Natural killer activity

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Nerve

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Neuropeptide

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bouvieri* (ortmann), 135 (1995) 149

Neuropeptide Y

The endocrinology of growth in carp and related species, 129 (1995) 299

Nishikigoi

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Nitrate removal

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Nitrification

Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Nitrogen

Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Nitrogen / organic—degradation

Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Non-algal POM

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

NOR

Chromosomal location of Nors and C bands in F₁ hybrids of bighead carp and silver carp reared in Brazil, 135 (1995) 277

Northern Italy

Use of pig manure as fertilizer with and without supplement feed in pond carp production in Northern Italy, 129 (1995) 387

Nursery production

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) I. Development of hatchery and nursery procedures, 138 (1995) 221

Nutrient requirements

Nutrient requirements, supply and utilization in the context of carp culture, 129 (1995) 225

Nutrient utilization

Nutrient requirements, supply and utilization in the context of carp culture, 129 (1995) 225

Oestradiol-17 β

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

Offspring fitness

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Oka organ

Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43

Oncorhynchus clarki

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Performance and behavior of cutthroat trout (*Oncorhynchus clarki*) reared in covered raceways or demand fed, 136 (1995) 131

Oncorhynchus gorbuscha

Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*), 137 (1995) 109

Oncorhynchus keta

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Oncorhynchus kisutch

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Oncorhynchus mykiss

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Replacement of fish meal by plant proteins in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, 130 (1995) 177

The production of functional sex-reversed male rainbow trout with 17 α -methyltestosterone and 11 β -hydroxyandrostenedione, 131 (1995) 145

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Domoic acid in rainbow trout (*Oncorhynchus mykiss*) feeds, 131 (1995) 253

Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

The occurrence of *Loma salmonae* (Protozoa: Microspora) in farmed rainbow trout, *Oncorhynchus mykiss* Walbaum, in Scotland, 133 (1995) 341

Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss*, 134 (1995) 137

Asymmetry and variability of meristic characters and spotting in isogenic lines of rainbow trout, 137 (1995) 67

Incidence of albinos as a monitor for induced triploidy in rainbow trout, 137 (1995) 121

Heterogeneity in the body size of Ontario cultured rainbow trout with different mitochondrial DNA haplotypes, 137 (1995) 231

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Oncorhynchus nerka

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Oncorhynchus tshawytscha

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

An evaluation of surface moribund salmon as indicators of seapen disease status, 133 (1995) 1

Oocyte growth

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the

tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Oogenesis

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Oreochromis aureus

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

***Oreochromis aureus*; Pseudofemales**

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Oreochromis niloticus

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions, 137 (1995) 343

Nutritional evaluation of gizzard erosion positive brown fish meal in starter diets for Nile tilapia, *Oreochromis niloticus*, 138 (1995) 323

***Oreochromis* spp.**

L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* \times *O. aureus*, 133 (1995) 147

Utilization of disaccharides by juvenile tilapia, *Oreochromis niloticus* \times *O. aureus*, 133 (1995) 249

Organ culture

In vitro production of IGF-binding proteins (IGFBP) by various organs of the striped bass, *Morone saxatilis*, 135 (1995) 195

Organic fertilization

Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Organic matter

Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Organic particles

Production of growth-enhancing particles in a plastic-lined shrimp pond, 132 (1995) 253

Organoleptic properties

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Organoleptic tests

Effects of dietary vegetable and marine lipid on growth, muscle fatty acid composition and organoleptic quality of flesh of brook charr (*Salvelinus fontinalis*), 136 (1995) 351

Ormethoprim

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Ormetoprim

Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Ostariophysi

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Ostrea chilensis

Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

Ostrea edulis

Presence of *Bonamia* and its relation to age, growth rates and gonadal development of the flat

oyster, *Ostrea edulis*, in the Ría de Vigo, Galicia (NW Spain), 130 (1995) 15

Effect of food supply on oyster spatfall, 131 (1995) 315

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

Ostrea puelchana

Evidence of a chemically mediated adult-larval interaction triggering settlement in *Ostrea puelchana*: applications in hatchery production, 133 (1995) 33

Ovarian differentiation

Ovarian differentiation in common carp (*Cyprinus carpio*) in relation to growth rate, 137 (1995) 203

Ovarian fluid

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Ovarian maturation

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Ovary

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Overwintering

Overwintering hatchery-reared individuals of the soft-shell clam, *Mya arenaria* L.: a field test of site, clam size, and intraspecific density, 130 (1995) 145

Ovulation

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Oxolinic acid

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Oxygen

Allometric relationships and effects of temperature on clearance and oxygen

consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Oxygen consumption

Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels, 136 (1995) 243

Oxytetracycline

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Oxytetracycline resistance

Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media, 134 (1995) 227

Oysters

Environmental effects on the growth of the Chilean oyster *Ostrea chilensis* in five mariculture locations in the Chiloé Island, Southern Chile, 136 (1995) 153

p34^{cdc2}

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Pacifastacus leniusculus

Effects of management on survival and growth of Stage 2 juvenile freshwater signal crayfish (*Pacifastacus leniusculus* Dana) under laboratory conditions, 133 (1995) 123

Paralichthys olivaceus

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Preliminary data on restriction mapping and detection of length variation in Japanese flounder mitochondrial DNA, 136 (1995) 109

Parasite – encapsulation

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Parasites

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Parasites — seasonal study

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opcoelidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Parr-smolt transformation

Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Pasteurella piscicida

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Paternal genome

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Pathology

Strategy for research and international cooperation in marine invertebrate pathology, immunology and genetics, 132 (1995) 33

PCR

A single locus PCR amplified minisatellite region as a hypervariable genetic marker in gadoid species, 137 (1995) 31

Pecten fumatus

Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve, 131 (1995) 231

Pedigree

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Penaeid postlarvae

Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India, 130 (1995) 287

Penaeid prawns

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus*

- monodon*) in aquaculture environments, 136 (1995) 57
- Penaeids**
- Hyperglycaemic effects of dopamine in tiger shrimp, *Penaeus monodon*, 135 (1995) 161
- Penaeus chinensis***
- Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels, 136 (1995) 243
- Penaeus esculentus***
- Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103
- Penaeus indicus***
- Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India, 130 (1995) 287
- Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121
- Penaeus japonicus***
- Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213
- Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307
- Amino acid sequences of a hyperglycaemic hormone and its related peptides from the Kuruma prawn, *Penaeus japonicus*, 135 (1995) 205
- Penaeus kerathurus***
- Variations in lipid content and nutritional status during larval development of the marine shrimp *Penaeus kerathurus*, 130 (1995) 187
- Penaeus monodon***
- A record and prevalence of *Monodon baculovirus* from postlarval *Penaeus monodon* in Madras, India, 130 (1995) 129
- RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137
- Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329
- Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59
- Use of the golden apple snail, cassava, and maize as feeds for the tiger shrimp, *Penaeus monodon*, in ponds, 131 (1995) 91
- Interspecific hybridization of the tiger prawns *Penaeus monodon* and *Penaeus esculentus*, 133 (1995) 103
- Apparent digestibility of lipid and fatty acids in residual lipids of meals by adult *Penaeus monodon*, 133 (1995) 275
- Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon*, 134 (1995) 313
- Development of an in vitro subculture system for the oka organ (Lymphoid tissue) of *Penaeus monodon*, 136 (1995) 43
- Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57
- Effect of a diet lacking in vitamin and mineral supplements on growth and survival of *Penaeus monodon* juveniles in a modified extensive culture system, 136 (1995) 323
- Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257
- Penaeus paulensis***
- Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967, 132 (1995) 339
- Penaeus setiferus***
- Feeding schedule for *Penaeus setiferus* larvae based on diatoms (*Chaetoceros ceratosporum*), flagellates (*Tetraselmis chuii*) and *Artemia* nauplii, 131 (1995) 239
- Penaeus vannamei***
- Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Dietary requirement for lysine by juvenile *Penaeus vannamei* using intact and free amino acid sources, 131 (1995) 279

Production of growth-enhancing particles in a plastic-lined shrimp pond, 132 (1995) 253

Effects of two extrusion processing conditions on the digestibility of four cereal grains for *Penaeus vannamei*, 133 (1995) 287

Some digestive carbohydrases from the midgut gland of *Penaeus indicus* and *Penaeus vannamei* (Decapoda: Penaeidae), 134 (1995) 121

Performance

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Perkinsus atlanticus

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Perkinsus sp.

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Peroxidation

Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

pH

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Pharmacokinetics

Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Phospholipid

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Phosphorus

Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Photobacterium spp.

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Photoperiod

Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water, 135 (1995) 275

Effects of photoperiod on growth, survival and feeding periodicity of larval and juvenile barramundi *Lates calcarifer* (Bloch), 138 (1995) 159

Photostability

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Phototaxis

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

phsp 70 promoter

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Phytoestrogens

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Pigmentation

First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Pinctada fucata

Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850), 133 (1995) 207

Pinctada margaritifera

Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia, 133 (1995) 113

Pituitary gland

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Pituitary-interrenal axis

Profile of cortisol during the ontogeny of the Asian seabass, *Lates calcarifer*, 132 (1995) 349

PjNOB

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Plankton

Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Plastic liner

Production of growth-enhancing particles in a plastic-lined shrimp pond, 132 (1995) 253

Plecoglossus altivelis

Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Pleistophora anguillarum

A cell line (EP-1 cell line) derived from "Beko disease" affected Japanese eel elver (*Anguilla japonica*) persistently infected with *Pleistophora anguillarum*, 132 (1995) 161

Ploidy manipulation

Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Poecilia sphenops

Production of ZZ females in the female-heterogametic black molly, *Poecilia sphenops*, by endocrine sex reversal and progeny testing, 136 (1995) 81

Polymorphism

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Polyploidy

Genome and gene manipulation in the common carp, 129 (1995) 157

Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Production of gynogenetic and polyploid catfish by pressure-induced chromosome set manipulation, 133 (1995) 185

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Pond culture

Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

Pond forms

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Pond preparation

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Pond production

Production of juvenile redclaw crayfish, *Cherax quadricarinatus* (von Martens) (Decapoda, Parastacidae) III. Managed pond production trials, 138 (1995) 247

Population counting

Automatic fish population counting by artificial neural network, 133 (1995) 45

Porphyra suborbiculata

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Porphyra yezoensis

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Portugal

A seasonal study on the parasitization of *Lipophrys pholis* (Pisces: Blenniidae) by *Helicometra fasciata* (Digenea: Opencolidae) and *Lecithochirium furcolabiatum* (Digenea: Hemiuridae) in Portugal, 132 (1995) 175

Postmortem

Growth and meat quality relations in carp, 129 (1995) 265

Post-smolts

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Potassium channel inhibitors

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Pressure shock

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Procambarus clarkii

Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Processing

Equipment for the production and processing of carp, 129 (1995) 443

Production systems - carp

Different systems of carp production and their impacts on the environment, 129 (1995) 347

Progeny test

Live gene bank of common carp strains at the Fish Culture Research Institute, Szarvas, 129 (1995) 199

Protein

Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*), 138 (1995) 291

Protein/energy ratio

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Protein and amino acids

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

Protein requirements

Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *Haliotis discus hannai* Ino. IV. Optimum dietary protein level for growth, 136 (1995) 165

Proteins and amino acids

Effect of different levels of protein, fat and carbohydrate on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.), 129 (1995) 243

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

Growth and production of milkfish (*Chanos chanos*) in brackishwater ponds: effects of dietary protein and feeding levels, 132 (1995) 273

Seasonal variations in the biochemical composition of the serum of *Mytilus galloprovincialis* Lmk. and its relationship to the reproductive cycle and parasitic load, 133 (1995) 311

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Investigation of alternative protein sources in practical diets for juvenile shrimp, *Penaeus monodon*, 134 (1995) 313

Protein-sparing

Effect of dietary protein to energy ratios on growth, survival, and body composition of juvenile Asian seabass, *Lates calcarifer*, 131 (1995) 125

Protein-sparing effect

Protein-sparing effect of dietary carbohydrate in diets for fingerling *Labeo rohita*, 136 (1995) 331

Proximate analysis

Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Pseudofemales

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

Puberty development

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Puntius gonionotus

Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Quantitative characteristics

Genetic improvement of common carp strains using intraspecific hybridization, 129 (1995) 183

Quinaldine sulfate

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Rabbitfish

Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149

Raceways

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Randomly amplified polymorphic DNA (RAPD)

RAPD markers of potential use in penaeid prawn (*Penaeus monodon*) breeding programs, 130 (1995) 137

Rapeseed protein concentrate

Assessment of undephytinized and dephytinized rapeseed protein concentrate as sources of dietary protein for juvenile rainbow trout (*Oncorhynchus mykiss*), 131 (1995) 261

Recirculating systems

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems, 134 (1995) 49

Recruitment

Recruitment of the mussel *Mytilus galloprovincialis* on collectors situated on the intertidal zone in the Ría de Arousa (NW Spain), 138 (1995) 131

Recruitment studies

Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia, 136 (1995) 231

Regression model

Foregut evacuation, return of appetite and gastric fluid secretion in the tropical freshwater crayfish, *Cherax quadricarinatus*, 134 (1995) 295

Releasing property

A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Renibacterium salmoninarum

Inactivation of *Renibacterium salmoninarum* by free chlorine, 131 (1995) 165

Brood stock segregation for the control of bacterial kidney disease can affect mortality of progeny chinook salmon (*Oncorhynchus tshawytscha*) in seawater, 132 (1995) 133

Influence of the immunostimulant, EF203, on the immune responses of rainbow trout, *Oncorhynchus mykiss*, to *Renibacterium salmoninarum*, 138 (1995) 61

Reproduction

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in the tilapia, *Oreochromis niloticus* (L.), 134 (1995) 169

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Progress in controlled breeding of Nassau grouper (*Epinephelus striatus*) broodstock by hormone induction, 138 (1995) 205

Reproduction — fish

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Production of a high percentage of male offspring with 17 α -ethynylestradiol sex-reversed *Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Reproduction — molluscs

Gametogenic cycle of cultured mussel, *Mytilus galloprovincialis*, in the bays of Galicia (N.W. Spain), 130 (1995) 269

Spawning peak occurs during winter in the Japanese subtropical population of the pearl oyster, *Pinctada fucata fucata* (Gould, 1850), 133 (1995) 207

Rheotaxis

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Rhombosolea tapirina

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Risk assessment

Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish, 137 (1995) 9

Risk management

Incorporating risk assessment and risk management into public policies on genetically modified finfish and shellfish, 137 (1995) 9

Robertsonian translocation

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Ruditapes decussatus

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Ruditapes philippinarum

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Ruditapes semidecussatus

Perkinsus sp. (Phylum Apicomplexa) in Mediterranean clam *Ruditapes semidecussatus*: ultrastructural observations of the cellular response of the host, 132 (1995) 153

Saccostrea commercialis

Evaluation of growing methods for use in a Sydney rock oyster *Saccostrea commercialis* (Iredale and Roughley) selective breeding program, 131 (1995) 189

Salinity

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae, 135 (1995) 343

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Responses of oxygen consumption, Ammonia-N excretion and Urea-N excretion of *Penaeus chinensis* exposed to ambient ammonia at different salinity and pH levels, 136 (1995) 243

Salinity tolerance

Salinity tolerance of hatchery-reared postlarvae of *Penaeus indicus* H. Milne Edwards originating from India, 130 (1995) 287

Salmonella

Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291

Incidence of *Salmonella* in cultured shrimp *Penaeus monodon*, 138 (1995) 257

Salmonid

Fluctuating asymmetry in Atlantic salmon, European trout and their hybrids, including triploids, 137 (1995) 77

Salmonids

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Androgens and immunocompetence in salmonids: specific binding in and reduced immunocompetence of salmonid lymphocytes exposed to natural and synthetic androgens, 136 (1995) 363

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Viruses and viral diseases of salmonids, 132 (1995) 43

Evolution of chromosome polymorphic patterns in salmonids: within-generation variation with ageing, 132 (1995) 233

Salmon louse

The immunocytochemical localisation of potential candidate vaccine antigens from the salmon louse *Lepeophtheirus salmonis* (Kroyer 1837), 132 (1995) 221

Salmo salar

The effects of food pellet dimensions on feeding responses by Atlantic salmon (*Salmo salar* L.) in a marine net pen, 130 (1995) 167

Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Changes in the amino acid pool during embryonic development of cultured and wild Atlantic salmon (*Salmo salar*), 131 (1995) 115

In vitro studies of infectious pancreatic necrosis virus infections in leucocytes isolated from Atlantic salmon (*Salmo salar* L.), 132 (1995) 91

Vertical distribution of Atlantic salmon (*Salmo salar* L.) in net pens: trade-off between surface light avoidance and food attraction, 132 (1995) 285

Empirical investigations on growth of post-smolt Atlantic salmon (*Salmo salar* L.) in land-based farms. Evidence of a photoperiodic influence, 133 (1995) 235

Evaluation of the toxicity of 8 insecticides in *Salmo salar* and the in vitro effects against the isopod parasite, *Ceratomyxa gaudichaudii*, 134 (1995) 9

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water, 135 (1995) 275

The effects of chronic and acute exposure to hydrogen sulphide on Atlantic salmon (*Salmo salar* L.), 135 (1995) 311

Failure of flumisol bath treatments during commercial transport of Atlantic salmon smolts to prevent the activation of stress inducible furunculosis, 136 (1995) 31

Site management factors influencing mortality rates in Atlantic salmon (*Salmo salar* L.) during marine production, 136 (1995) 195

Bioavailability of flumequine after oral administration to Atlantic salmon (*Salmo salar* L.), 136 (1995) 209

Applications of selection for multiple traits in cage-reared Atlantic salmon (*Salmo salar*), 137 (1995) 213

Sexual maturation and fertility of diploid and triploid Atlantic salmon \times brown trout hybrids, 137 (1995) 299

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77

Availability of amino acids from various fish meals fed to Atlantic salmon (*Salmo salar*), 138 (1995) 291

Salmo trutta

The protein requirement of brown trout (*Salmo trutta*) fry, 130 (1995) 67

Sexual maturation and fertility of diploid and triploid Atlantic salmon \times brown trout hybrids, 137 (1995) 299

Salvelinus alpinus

Pigmentation of 1, 2 and 3 year old Arctic charr (*Salvelinus alpinus*) fed two different dietary astaxanthin concentrations, 138 (1995) 303

Sarafloxacin

Distribution and elimination of [14 C]sarafloxacin hydrochloride from tissues of juvenile channel catfish (*Ictalurus punctatus*), 131 (1995) 23

Sciaenops ocellatus

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Scophthalmus maximus

Pathogenicity of birnaviruses isolated from turbot (*Scophthalmus maximus*): comparison with reference serotypes of IPNV, 130 (1995) 7

Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Entry and sequential distribution of an aquatic birnavirus in turbot (*Scophthalmus maximus*), 131 (1995) 1

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Artificial insemination in turbot (*Scophthalmus maximus*): determination of the optimal sperm to egg ratio and time of gamete contact, 133 (1995) 83

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Sea lice control

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Seawater ions

Reduction in the in-vitro activity of flumequine against *Aeromonas salmonicida* in the presence of the concentrations of Mg^{2+} and Ca^{2+} ions found in sea water, 135 (1995) 245

Seaweeds

A preliminary trial of a spray culture technique for growing the agarophyte *Gracilaria chilensis* (Gracilariales, Rhodophyta), 130 (1995) 43

Sediment quality

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Sediments

Fish feed as a source of oxytetracycline-resistant bacteria in the sediments under fish farms, 131 (1995) 101

Seeding ice formation

Some aspects on the cryopreservation of microalgae used as food for marine species, 136 (1995) 277

Selection

A review of genetic improvement of the common carp (*Cyprinus carpio* L.) and other cyprinids by crossbreeding, hybridization and selection, 129 (1995) 143

DNA fingerprint based analysis of paternal and maternal effects on offspring growth and survival in communally reared rainbow trout, 137 (1995) 245

Selection conditions

Emergence, in oxytetracycline-free marine mesocosms, of microorganisms capable of colony formation on oxytetracycline-containing media, 134 (1995) 227

Selection indices

Applications of selection for multiple traits in cage-reared Atlantic salmon (*Salmo salar*), 137 (1995) 213

Semi-purified diet

Essentiality of dietary phospholipids for carp (*Cyprinus carpio* L.) larvae, 131 (1995) 303

Septage-fed aquaculture

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Sequential changes

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Serotonin

Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperima*, 136 (1995) 117

Serratia liquefaciens

Serratia liquefaciens: a case report in turbot (*Scophthalmus maximus*) cultured in floating cages in France, 132 (1995) 121

Setting

Effect of food supply on oyster spatfall, 131 (1995) 315

Sex control

Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Sex determination

Induced gynogenesis in the silver barb (*Puntius gonionotus* Bleeker) and evidence for female homogamety, 135 (1995) 267

Sex determination in tilapia (*Oreochromis niloticus*) sex ratios in homozygous gynogenetic progeny and their offspring, 137 (1995) 57

Sex manipulation

Genome and gene manipulation in the common carp, 129 (1995) 157

Sex reversal

Production of a high percentage of male offspring with 17α -ethynylestradiol sex-reversed *Oreochromis aureus*. I. Estrogen sex-reversal and production of F2 pseudofemales, 130 (1995) 25

Production of a high percentage of male offspring with 17α -ethynylestradiol sex-reversed

- Oreochromis aureus*. II. Comparative reproductive biology of females and F2 pseudofemales and large-scale production of male progeny, 130 (1995) 35
- The production of functional sex-reversed male rainbow trout with 17 α -methyltestosterone and 11 β -hydroxyandrostenedione, 131 (1995) 145
- Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239
- Production of ZZ females in the female-heterogametic black molly, *Poecilia sphenops*, by endocrine sex reversal and progeny testing, 136 (1995) 81
- Hormonal induction of sex reversal in fish, 138 (1995) 1
- Sex steroids**
- Effects of gonadotropin-releasing hormone (GnRH) analogs and sex steroids on growth hormone (GH) secretion and growth in common carp (*Cyprinus carpio*) and grass carp (*Ctenopharyngodon idellus*), 135 (1995) 173
- Development of sex control techniques for European sea bass (*Dicentrarchus labrax* L.) aquaculture: effects of dietary 17 α -methyltestosterone prior to sex differentiation, 135 (1995) 329
- Sexual maturation**
- The growth pattern and sexual maturation of Atlantic halibut (*Hippoglossus hippoglossus* L.) reared in large tanks for 3 years, 138 (1995) 281
- Shrimp farming**
- Prevalence of *Salmonella* in dry pelleted chicken manure samples obtained from shrimp farms in a major shrimp production area in Thailand, 136 (1995) 291
- Shrimp waste**
- Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351
- Siganus lineatus**
- Clove oil as a fish anaesthetic for measuring length and weight of rabbitfish (*Siganus lineatus*), 136 (1995) 149
- Silage**
- Effects of silage preservation on astaxanthin forms and fatty acid profiles of processed shrimp (*Pandalus borealis*) waste, 130 (1995) 351
- Sinus gland**
- A neuropeptide family from the sinus gland of the Mexican crayfish, *Procambarus bowieri* (ortmann), 135 (1995) 149
- Size grading**
- The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297
- Skin mucus**
- Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113
- Sludge accumulation**
- Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9
- Smolt**
- Advancing smolting to autumn in age 0+ Atlantic salmon by photoperiod, and long-term performance in sea water, 135 (1995) 275
- Smoltification**
- Effects of continuous light and short-day photoperiod on smolting, seawater survival and growth in Atlantic salmon (*Salmo salar*), 130 (1995) 373
- Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91
- Saltwater performance of all-female triploid Atlantic salmon, 138 (1995) 77
- Smolt rate**
- Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333
- Soft-shell crawfish**
- Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205
- Somatolactin**
- Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Somatostatin

The endocrinology of growth in carp and related species, 129 (1995) 299

Soybean meal

Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Soybean protein

Partial or total replacement of fish meal by soybean protein on growth, protein utilization, potential estrogenic or antigenic effects, cholesterolemia and flesh quality in rainbow trout, *Oncorhynchus mykiss*, 133 (1995) 257

Sparid culture

Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system, 135 (1995) 229

Sparus aurata

Histology and histochemistry of the development of the digestive system of larval gilthead seabream, *Sparus aurata* L., 130 (1995) 79

Soybean and lupin seed meals as protein sources in diets for gilthead seabream (*Sparus aurata*): nutritional and histological implications, 130 (1995) 219

Interactions between peritoneal exudate cells (PECs) of gilthead seabream (*Sparus aurata*) and *Pasteurella piscicida*. A morphological study, 131 (1995) 11

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Feeding rates of gilthead seabream (*Sparus aurata*), larvae on microcapsules, 134 (1995) 259

Capacity of gilthead seabream, *Sparus aurata* L., larvae to break down dietary microcapsules, 134 (1995) 269

The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae, 135 (1995) 343

Isolation and characterization of somatolactin from pituitary glands of gilthead sea bream *Sparus aurata*, 137 (1995) 171

Spatfall

Effect of food supply on oyster spatfall, 131 (1995) 315

Spawning

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Induction of anaesthesia in the commercial scallop, *Pecten fumatus* Reeve, 131 (1995) 231

Spawning induction and fertilisation in the doughboy scallop *Chlamys* (*Mimachlamys*) *asperima*, 136 (1995) 117

Spawning induction

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Spawning quality

Effect of *n*-3 HUFA level in broodstock diets on egg quality of gilthead sea bream (*Sparus aurata* L.), 132 (1995) 325

Spermatogenesis

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Spermatozoa

Biology of sperm and artificial reproduction in carp, 129 (1995) 95

Spawning of ocean pout (*Macrozoarces americanus* L.): evidence in favour of internal fertilization of eggs, 130 (1995) 361

Spermiation

Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

GnRHa injection accelerates final maturation and ovulation/spermiation of sockeye salmon (*Oncorhynchus nerka*) in both fresh and salt water, 130 (1995) 279

Sperm motility

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Potassium channels regulate hypo-osmotic shock-induced motility of common carp (*Cyprinus carpio*) sperm, 129 (1995) 123

Startfeeding

First feeding of Atlantic halibut (*Hippoglossus hippoglossus*) using different combinations of *Artemia* and wild zooplankton, 130 (1995) 235

Starvation

Effects of periodic starvation on reproductive investment in first-time spawning Atlantic cod (*Gadus morhua* L.), 133 (1995) 159

Steroidogenesis

Changes in serum steroid hormones and steroidogenic ability of ovarian follicles during artificial maturation of cultivated Japanese eel, *Anguilla japonica*, 135 (1995) 3

Steroids

Physiological evidence for two sturgeon gonadotrophins in *Acipenser transmontanus*, 135 (1995) 27

Hormonal induction of sex reversal in fish, 138 (1995) 1

Stizostedion vitreum

Effect of larval walleye (*Stizostedion vitreum*) and fertilization on the plankton community: implications for larval fish culture, 130 (1995) 51

Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation, 138 (1995) 35

Stocking density

Effect of stocking density on ovarian maturation, offspring fitness and growth of common carp, 129 (1995) 113

Production of the Australian freshwater silver perch, *Bidyanus bidyanus* (Mitchell), at two densities in earthen ponds, 130 (1995) 317

The effects of size grading and stocking density on growth performance of juvenile abalone, *Haliotis tuberculata* Linnaeus, 136 (1995) 297

Storage

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Streamer tags

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Stress

Metomidate anaesthesia in Atlantic salmon, *Salmo salar*, prevents plasma cortisol increase during stress, 134 (1995) 155

A comparison of metabolic stress during air exposure in two species of New Zealand abalone, *Haliotis iris* and *Haliotis australis*: implications for the handling and shipping of live animals, 134 (1995) 361

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Stress response

Genetic variation of some physiological traits of clonal ayu (*Plecoglossus altivelis*) under stressed and non-stressed conditions, 137 (1995) 193

Substrate

Experimental use of cobble substrates in concrete raceways for improving fin condition of cutthroat (*Oncorhynchus clarki*) and rainbow trout (*O. mykiss*), 130 (1995) 159

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Sulfadiazine

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Sulfadimethoxine

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Sulphadimethoxine

Exploratory bioavailability and pharmacokinetic studies of sulphadimethoxine and ormetoprim in the penaeid shrimp, *Penaeus vannamei*, 130 (1995) 113

Supplemental diets

Effects of complete and supplemental diets and organic pond fertilization on production of *Macrobrachium rosenbergii* and associated benthic macroinvertebrate populations, 138 (1995) 169

Survival

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Survival and karyological analysis of reciprocal diploid and triploid hybrids between mud loach (*Misgurnus mizolepis*) and cyprinid loach (*Misgurnus anguillicaudatus*), 135 (1995) 257

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Hybrid vigor in Pacific oysters: an experimental approach using crosses among inbred lines, 137 (1995) 285

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Survival and growth

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Susceptibility testing

Assessment of disc diffusion methods for susceptibility testing of *Aeromonas salmonicida*, 134 (1995) 1

Swimbladder

The duration of the interval associated with successful inflation of the swimbladder in larval striped bass (*Morone saxatilis*), 131 (1995) 135

The effect of salinity on growth rate, survival and swimbladder inflation in gilthead seabream, *Sparus aurata*, larvae, 135 (1995) 343

Histopathology of swimbladder noninflation in walleye (*Stizostedion vitreum*) larvae: role of development and inflammation, 138 (1995) 35

Tagging

Utility of streamer tags to assess survival and growth of juvenile tiger prawns (*Penaeus monodon*) in aquaculture environments, 136 (1995) 57

Tank culture

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Transgenic fish

Inheritance of recombinant carp β -actin/GH cDNA gene in transgenic carp, 137 (1995) 179

Tapes dorsatus

Hatchery production of diploid and triploid clams, *Tapes dorsatus* (Lamarck 1818): a potential new species for aquaculture, 130 (1995) 389

Tapes philippinarum

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Taxonomy

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Techniques-anaerobic digestion

Anaerobic treatment of intensive fish culture effluents: volatile fatty acid mediated denitrification, 133 (1995) 21

Techniques — cell culture

Culture and development of electrically fused protoplasts from red marine algae, *Porphyra yezoensis* and *P. suborbiculata*, 132 (1995) 361

Techniques — dot-blot

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Techniques—feeding and nutrition

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Techniques—fluorescence

Fluorometric determination of selectivity between live and inert food by *Penaeus japonicus* larvae, 134 (1995) 307

Techniques—genetics

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Techniques – immunofluorescence

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Techniques – immunology

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Techniques—orthogonal array design

Effect of combined copper, zinc, chromium and selenium by orthogonal array design on alkaline phosphatase activity in liver of the red sea bream, *Chrysophrys major*, 131 (1995) 219

Techniques — particle size fractionation

Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Techniques-pearl cultivation

Trichromatic characterization of the "black pearls" from aquaculture centers of French Polynesia, 133 (1995) 113

Techniques – slide agglutination test

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Temperative; *Crassostrea gigas*

Allometric relationships and effects of temperature on clearance and oxygen consumption rates of *Crassostrea gigas* (Thunberg), 134 (1995) 143

Temperature

Growth and meat quality relations in carp, 129 (1995) 265

Validation of a model of 2-year-old carp growth, 129 (1995) 337

Accommodation of carp natural killer-like cells to environmental temperatures, 129 (1995) 421

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Effects of temperature on mean molt interval, molting and mortality of red swamp crawfish (*Procambarus clarkii*), 131 (1995) 205

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

Influence of feed supply, temperature and body size on the growth of goldfish *Carassius auratus* larvae, 136 (1995) 341

Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*), 138 (1995) 267

Territory

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Testis

Innervation of testes in the tilapia *Oreochromis niloticus*, 135 (1995) 41

Tetraploid

Production of androgenetic diploid loach *Misgurnus anguillicaudatus* using spermatozoa of natural tetraploids, 137 (1995) 131

Tetraselmis suecica

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Thermal control

Hatchery study of the effects of temperature on eggs and yolk sac larvae of the Nassau grouper *Epinephelus striatus*, 136 (1995) 141

Thioglycollate diagnosis

A comparison of gill and hemolymph assays for the thioglycollate diagnosis of *Perkinsus atlanticus* (Apicomplexa, Perkinsea) in clams, *Ruditapes decussatus* (L.) and *Ruditapes philippinarum* (Adams et Reeve), 132 (1995) 145

Thyroid

Combined application of cortisol and triiodothyronine in the culture of larval marine finfish, 135 (1995) 79

Development of the pituitary, thyroid and interrenal glands and applications of endocrinology to the improved rearing of marine fish larvae, 135 (1995) 111

Thyroid hormone

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Thyroid hormone receptor

The role of thyroid hormone in tissue development in metamorphosing flounder, 135 (1995) 87

Thyroid hormones

Downstream migratory behavior of salmonids and its relationship with cortisol and thyroid hormones: A review, 135 (1995) 131

Thyroxine

Circulating growth hormone, cortisol and thyroxine levels after 24 h seawater challenge of yearling coho salmon at different developmental stages, 136 (1995) 371

Tigriopus fulvus

Influence of nutrition on fecundity and survival in *Tigriopus fulvus* Fischer (Copepoda: Harpacticoida), 134 (1995) 113

Tilapia

Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Timing of stripping

Effects of timing of stripping and female on the viability of gynogenetic and non-gynogenetic diploid pink salmon (*Oncorhynchus gorbuscha*), 137 (1995) 109

Tinca tinca

Spermiation of common tench (*Tinca tinca* L.) stimulated with injection or implantation of GnRH analogues and injection of carp pituitary extract, 129 (1995) 119

Genetic studies with tench, *Tinca tinca* L.: induced meiotic gynogenesis and sex reversal, 132 (1995) 239

Tissues

Growth and meat quality relations in carp, 129 (1995) 265

Changes in specific carp immune reaction caused by addition of fish oil to pellets, 129 (1995) 425

 α -Tocopherol

Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: effect of dietary vitamin E and dietary *n*-6 or *n*-3 polyunsaturated fatty acids, 130 (1995) 251

Tolerance

Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss*, 134 (1995) 137

Toxicity

Acute toxicity of ammonia to various life stages of the São Paulo shrimp, *Penaeus paulensis* Pérez-Farfante, 1967, 132 (1995) 339

Laboratory study on the effect of dichlorvos on two commercial bivalves, 138 (1995) 139

Toxicology

Compositional and toxicological evaluation of the diazotrophic cyanobacterium, *Cyanothece* sp. strain ATCC 51142, 134 (1995) 339

Toxins

Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Transferrin polymorphism

Transferrin polymorphism of some races in a live gene bank of common carp, 129 (1995) 193

Transgenic

Genome and gene manipulation in the common carp, 129 (1995) 157

Body composition of transgenic common carp, *Cyprinus carpio*, containing rainbow trout growth hormone gene, 138 (1995) 99

Transgenic salmon

Transmission and phenotypic effects of an antifreeze/GH gene construct in coho salmon (*Oncorhynchus kisutch*), 137 (1995) 161

Transient expression

Transient expression of a luciferase reporter gene after ballistic introduction into *Artemia franciscana* (Crustacea) embryos, 133 (1995) 199

Transportation

Conditioning improves performance of juvenile Chinook salmon, *Oncorhynchus tshawytscha*, to transportation stress, 135 (1995) 99

Tricaine

The effectiveness of tricaine, quinaldine sulfate and metomidate as anesthetics for larval fish, 134 (1995) 351

Trimethoprim

Photostability of eight antibacterial agents in seawater, 134 (1995) 217

Triploid

Sexual maturation and fertility of diploid and triploid Atlantic salmon \times brown trout hybrids, 137 (1995) 299

Freshwater performance of triploid Atlantic salmon (*Salmo salar*) in New Brunswick aquaculture, 137 (1995) 333

Triploidy

Survival and growth of all-female diploid and triploid rainbow trout (*Oncorhynchus mykiss*) reared at chronic high temperature, 131 (1995) 177

Freshwater growth, smolting, and marine survival and growth of diploid and triploid coho salmon (*Oncorhynchus kisutch*), 136 (1995) 91

Incidence of albinos as a monitor for induced triploidy in rainbow trout, 137 (1995) 121

Comparative performance of growth, biochemical composition and endocrine profiles in diploid and triploid tilapia *Oreochromis niloticus* L., 138 (1995) 87

Trophic webs

Management of pond ecosystems and trophic webs, 129 (1995) 373

Tropical pond culture

Testing of triploid Tilapia (*Oreochromis niloticus*) under tropical pond conditions, 137 (1995) 343

Tunicates

Immunology: a look toward the sea and what we have learned from tunicates, 132 (1995) 1

Undiluted passaging

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Vaccination

Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Efficacy of intraperitoneal and immersion vaccination against *Enterococcus* sp. infection in turbot, 134 (1995) 17

Vernacular names

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Viability

Long-term preservation of *Tetraselmis suecica*: influence of storage on viability and fatty acid profile, 134 (1995) 81

Vibrio anguillarum

Vaccination of juvenile turbot, *Scophthalmus maximus* L., against vibriosis, 132 (1995) 125

Vibrio furnissii

Biochemical and toxigenic properties of *Vibrio furnissii* isolated from a European eel farm, 132 (1995) 81

Vibrio harveyi

Association of *Vibrio harveyi* with mortalities in cultured marine fish in Kuwait, 136 (1995) 21

Vibrio spp.

Development of immunological techniques for the detection of the potential causative agent of the brown ring disease, 132 (1995) 97

Experimental infections of crustaceans with luminous bacteria related to *Photobacterium* and *Vibrio*. Effect of salinity and pH on infectiosity, 132 (1995) 105

Influence of salinity and pH on the adhesion of pathogenic *Vibrio* strains to *Sparus aurata* skin mucus, 132 (1995) 113

Viral diseases

Viruses and viral diseases of salmonids, 132 (1995) 43

Virion polypeptides

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Viruses

Recent achievements in studies on diseases of common carp (*Cyprinus carpio* L.), 129 (1995) 397

Viruses and viral diseases of salmonids, 132 (1995) 43

The sequential changes of the virion polypeptides of CV HB1 virus (Birnaviridae) during serial undiluted passaging, 132 (1995) 73

Characterization and partial cloning of the genomic DNA of a baculovirus from *Penaeus japonicus* (PjNOB = BMNV), 132 (1995) 213

Vitamins

The effect of dietary vitamin A and astaxanthin on the immunocompetence of rainbow trout, 133 (1995) 91

Hypervitaminosis and safe levels of vitamin A for larval flounder (*Paralichthys olivaceus*) fed *Artemia* nauplii, 133 (1995) 135

L-Ascorbyl-2-sulfate has equal antiscorbutic activity as L-ascorbyl-2-monophosphate for tilapia, *Oreochromis niloticus* × *O. aureus*, 133 (1995) 147

Tolerance of high dietary levels of menadione bisulfite-nicotinamide by rainbow trout, *Oncorhynchus mykiss*, 134 (1995) 137

Variation of ascorbic acid content in different live food organisms, 134 (1995) 325

Vitelline envelope

Morphology, composition and fertilization of carp eggs: a review, 129 (1995) 75

Vitellogenesis

Endocrine control of gametogenesis and spawning induction in the carp, 129 (1995) 49

Vitellogenic follicles

In vitro biosynthesis of oestradiol-17 β and 17 α ,20 β -dihydroxy-4-pregnen-3-one by vitellogenic ovarian follicles from migrating New Zealand longfinned eels (*Anguilla dieffenbachii*), 135 (1995) 17

VNTR loci

A panel of minisatellite (VNTR) DNA locus specific probes for potential application to problems in salmonid aquaculture, 137 (1995) 87

Volatile fatty acids

Anaerobic treatment of intensive fish culture effluents: digestion of fish feed and release of volatile fatty acids, 133 (1995) 9

W/O/W emulsions

A novel method of hormone administration for inducing gonadal maturation in fish, 135 (1995) 51

Water quality

Effects of pond preparation and feeding rate on production of *Penaeus monodon* Fabricius, water quality, bacteria and benthos in model farming ponds, 130 (1995) 329

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Bacteria and particulate materials in recirculating seabass (*Dicentrarchus labrax*) production system, 133 (1995) 215

Serial particle size fractionation and characterisation of an aquacultural effluent, 133 (1995) 323

Rates of organic carbon and nitrogen degradation in intensive fish ponds, 134 (1995) 211

Wild forms

Origin and domestication of the wild carp, *Cyprinus carpio*: from Roman gourmets to the swimming flowers, 129 (1995) 3

Winter feeding

Effect of overwinter feeding regimen on body weight, body composition and resistance to *Edwardsiella ictaluri* in channel catfish, *Ictalurus punctatus*, 134 (1995) 237

Wrasse

The use of cleaner-fish to control sea lice on two Irish salmon (*Salmo salar*) farms with particular reference to wrasse behaviour in salmon cages, 131 (1995) 73

Xylocaine

Evaluation of the repeated use of xylocaine as anesthetic for the handling of breeding carp (*Cyprinus carpio*), 129 (1995) 431

Yield

Evaluation of three species of tilapia, red tilapia and a hybrid tilapia as culture species in Saudi Arabia, 138 (1995) 145

Yolk-sac larvae

Effects of salinity and temperature on eggs and yolk sac larvae of the greenback flounder (*Rhombosolea tapirina* Günther, 1862), 136 (1995) 221

YY-males

Growth performance trials of genetically male tilapia (GMT) derived from YY-males in *Oreochromis niloticus* L.: On station comparisons with mixed sex and sex reversed male populations, 137 (1995) 313

Zinc methionine

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Zinc sulfate

Chelated zinc reduces the dietary zinc requirement of channel catfish, *Ictalurus punctatus*, 133 (1995) 73

Survival potential and chromosomes of progeny of triploid and pentaploid females in the loach, *Misgurnus anguillicaudatus*, 131 (1995) 37

Effect of sediment on growth and acute ammonia toxicity for the school prawn, *Metapenaeus macleayi* (Haswell), 131 (1995) 59

Establishment of an experimental infection protocol for the flat oyster, *Ostrea edulis*, with the intrahaemocytic protozoan parasite, *Bonamia ostreae*: application in the selection of parasite-resistant oysters, 132 (1995) 183

The microbiological and sensory quality of septage-raised Nile tilapia (*Oreochromis niloticus*), 132 (1995) 261

Seasonal cycles

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193

Penaeus vannamei

Temperature effects on growth, feeding rate and feed conversion of the Pacific white shrimp (*Penaeus vannamei*), 138 (1995) 267

Growth and production of mussels (*Mytilus edulis* L.) suspended at salmon cages and shellfish farms in two Scottish sea lochs, 134 (1995) 193